

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Alameda**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 001**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	107	16.8	5 - 8 Years	344	20.9
9 - 11 Years	53	*	9 - 11 Years	257	18.3
12 - 14 Years - Girls	40	*	12 - 14 Years - Girls	166	14.5
12 - 14 Years - Boys	31	*	12 - 14 Years - Boys	166	15.1
15 - 19 Years - Girls	57	*	15 - 19 Years - Girls	246	17.5
15 - 19 Years - Boys	49	*	15 - 19 Years - Boys	188	24.5
<b>Total</b>	<b>337</b>	<b>13.4</b>	<b>Total</b>	<b>1,367</b>	<b>18.8</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	449	20.9	5 - 8 Years	22	*
9 - 11 Years	284	20.1	9 - 11 Years	10	*
12 - 14 Years - Girls	172	19.2	12 - 14 Years - Girls	5	*
12 - 14 Years - Boys	159	21.4	12 - 14 Years - Boys	8	*
15 - 19 Years - Girls	199	30.7	15 - 19 Years - Girls	5	*
15 - 19 Years - Boys	126	24.6	15 - 19 Years - Boys	3	*
<b>Total</b>	<b>1,389</b>	<b>22.3</b>	<b>Total</b>	<b>53</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	1,447	15.3	5 - 8 Years	67	*
9 - 11 Years	672	10.7	9 - 11 Years	31	*
12 - 14 Years - Girls	356	9.6	12 - 14 Years - Girls	18	*
12 - 14 Years - Boys	287	12.2	12 - 14 Years - Boys	10	*
15 - 19 Years - Girls	292	15.1	15 - 19 Years - Girls	12	*
15 - 19 Years - Boys	240	10.4	15 - 19 Years - Boys	6	*
<b>Total</b>	<b>3,294</b>	<b>13.1</b>	<b>Total</b>	<b>144</b>	<b>9.7</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	10	*	5 - 8 Years	696	22.6
9 - 11 Years	5	*	9 - 11 Years	368	20.1
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	259	19.7
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	182	27.5
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	271	20.7
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	172	25.6
<b>Total</b>	<b>25</b>	<b>*</b>	<b>Total</b>	<b>1,948</b>	<b>22.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Alameda**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 001**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	3,142	18.2			
9 - 11 Years	1,680	15.5			
12 - 14 Years - Girls	1,017	14.6			
12 - 14 Years - Boys	845	18.0			
15 - 19 Years - Girls	1,085	19.8			
15 - 19 Years - Boys	788	19.5			
Total	8,557	17.5			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Alpine**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 002**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	2	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>5</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	1	*	5 - 8 Years	1	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>1</b>	<b>*</b>	<b>Total</b>	<b>1</b>	<b>*</b>
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	7	*	5 - 8 Years	0	*
9 - 11 Years	3	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	6	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>21</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	0	*	5 - 8 Years	1	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>3</b>	<b>*</b>	<b>Total</b>	<b>1</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Alpine**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 002**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	12	*			
9 - 11 Years	4	*			
12 - 14 Years - Girls	3	*			
12 - 14 Years - Boys	8	*			
15 - 19 Years - Girls	4	*			
15 - 19 Years - Boys	1	*			
Total	32	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Amador**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 003**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %		
White, Not Hispanic				Asian		
5 - 8 Years	16	*		5 - 8 Years	1	*
9 - 11 Years	11	*		9 - 11 Years	1	*
12 - 14 Years - Girls	5	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	5	*		12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	5	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*		15 - 19 Years - Boys	2	*
Total	44	*		Total	5	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	2	*		5 - 8 Years	0	*
9 - 11 Years	3	*		9 - 11 Years	0	*
12 - 14 Years - Girls	2	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*		15 - 19 Years - Boys	0	*
Total	8	*		Total	0	*
Hispanic				Filipino		
5 - 8 Years	13	*		5 - 8 Years	0	*
9 - 11 Years	10	*		9 - 11 Years	0	*
12 - 14 Years - Girls	5	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	7	*	15 - 19 Years - Boys	0	*	
Total	43	*	Total	0	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	0	*	5 - 8 Years	8	*	
9 - 11 Years	0	*	9 - 11 Years	3	*	
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	2	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	2	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*	
Total	0	*	Total	15	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Amador**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 003**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	40	*	
9 - 11 Years	28	*	
12 - 14 Years - Girls	12	*	
12 - 14 Years - Boys	11	*	
15 - 19 Years - Girls	13	*	
15 - 19 Years - Boys	11	*	
<b>Total</b>	<b>115</b>	<b>11.3</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Butte**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 004**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	589	10.5	5 - 8 Years	64	*
9 - 11 Years	257	14.0	9 - 11 Years	33	*
12 - 14 Years - Girls	163	9.2	12 - 14 Years - Girls	17	*
12 - 14 Years - Boys	170	10.0	12 - 14 Years - Boys	22	*
15 - 19 Years - Girls	128	11.7	15 - 19 Years - Girls	22	*
15 - 19 Years - Boys	120	15.8	15 - 19 Years - Boys	22	*
<b>Total</b>	<b>1,427</b>	<b>11.5</b>	<b>Total</b>	<b>180</b>	<b>16.7</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	54	*	5 - 8 Years	1	*
9 - 11 Years	30	*	9 - 11 Years	0	*
12 - 14 Years - Girls	14	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	12	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	19	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	13	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>142</b>	<b>34.5</b>	<b>Total</b>	<b>2</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	185	15.7	5 - 8 Years	2	*
9 - 11 Years	98	*	9 - 11 Years	4	*
12 - 14 Years - Girls	38	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	41	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	48	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	43	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>453</b>	<b>13.9</b>	<b>Total</b>	<b>7</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	23	*	5 - 8 Years	120	16.7
9 - 11 Years	6	*	9 - 11 Years	59	*
12 - 14 Years - Girls	4	*	12 - 14 Years - Girls	24	*
12 - 14 Years - Boys	4	*	12 - 14 Years - Boys	25	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	18	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	22	*
<b>Total</b>	<b>40</b>	<b>*</b>	<b>Total</b>	<b>268</b>	<b>16.8</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Butte**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 004**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	1,038	14.5			
9 - 11 Years	487	14.4			
12 - 14 Years - Girls	260	10.8			
12 - 14 Years - Boys	275	12.4			
15 - 19 Years - Girls	237	16.5			
15 - 19 Years - Boys	222	16.2			
<b>Total</b>	<b>2,519</b>	<b>14.2</b>			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Calaveras**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 005**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %		
White, Not Hispanic				Asian		
5 - 8 Years	22	*		5 - 8 Years	5	*
9 - 11 Years	6	*		9 - 11 Years	0	*
12 - 14 Years - Girls	6	*		12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	8	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	4	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	5	*		15 - 19 Years - Boys	2	*
<b>Total</b>	<b>51</b>	*		<b>Total</b>	<b>8</b>	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	1	*		5 - 8 Years	0	*
9 - 11 Years	5	*		9 - 11 Years	0	*
12 - 14 Years - Girls	0	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*		15 - 19 Years - Boys	0	*
<b>Total</b>	<b>7</b>	*		<b>Total</b>	<b>0</b>	*
Hispanic				Filipino		
5 - 8 Years	141	7.1		5 - 8 Years	0	*
9 - 11 Years	68	*		9 - 11 Years	1	*
12 - 14 Years - Girls	38	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	18	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	36	*	15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	23	*	15 - 19 Years - Boys	0	*	
<b>Total</b>	<b>324</b>	<b>9.6</b>	<b>Total</b>	<b>2</b>	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	1	*	5 - 8 Years	80	*	
9 - 11 Years	0	*	9 - 11 Years	37	*	
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	16	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	13	*	
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	15	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	14	*	
<b>Total</b>	<b>3</b>	*	<b>Total</b>	<b>175</b>	<b>15.4</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Calaveras**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 005**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	250	10.0	
9 - 11 Years	117	14.5	
12 - 14 Years - Girls	62	*	
12 - 14 Years - Boys	40	*	
15 - 19 Years - Girls	57	*	
15 - 19 Years - Boys	44	*	
<b>Total</b>	<b>570</b>	<b>11.4</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**City Of Berkeley**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 059**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
White, Not Hispanic			
5 - 8 Years	1	*	
9 - 11 Years	0	*	
12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	0	*	
<b>Total</b>	<b>2</b>	<b>*</b>	
Black, Not Hispanic			
5 - 8 Years	1	*	
9 - 11 Years	0	*	
12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	4	*	
<b>Total</b>	<b>5</b>	<b>*</b>	
Hispanic			
5 - 8 Years	9	*	
9 - 11 Years	7	*	
12 - 14 Years - Girls	3	*	
12 - 14 Years - Boys	3	*	
15 - 19 Years - Girls	2	*	
15 - 19 Years - Boys	0	*	
<b>Total</b>	<b>24</b>	<b>*</b>	
American Indian/Alaskan Native			
5 - 8 Years	0	*	
9 - 11 Years	0	*	
12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	0	*	
<b>Total</b>	<b>0</b>	<b>*</b>	
Asian			
5 - 8 Years	0	*	
9 - 11 Years	0	*	
12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	0	*	
<b>Total</b>	<b>0</b>	<b>*</b>	
Pacific Islander			
5 - 8 Years	0	*	
9 - 11 Years	0	*	
12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	0	*	
<b>Total</b>	<b>0</b>	<b>*</b>	
Filipino			
5 - 8 Years	0	*	
9 - 11 Years	0	*	
12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	0	*	
<b>Total</b>	<b>0</b>	<b>*</b>	
All Other			
5 - 8 Years	8	*	
9 - 11 Years	6	*	
12 - 14 Years - Girls	2	*	
12 - 14 Years - Boys	4	*	
15 - 19 Years - Girls	4	*	
15 - 19 Years - Boys	5	*	
<b>Total</b>	<b>29</b>	<b>*</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**City Of Berkeley**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 059**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	19	*			
9 - 11 Years	13	*			
12 - 14 Years - Girls	5	*			
12 - 14 Years - Boys	7	*			
15 - 19 Years - Girls	7	*			
15 - 19 Years - Boys	9	*			
Total	60	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Colusa**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 006**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %		
White, Not Hispanic				Asian		
5 - 8 Years	17	*		5 - 8 Years	1	*
9 - 11 Years	12	*		9 - 11 Years	0	*
12 - 14 Years - Girls	7	*		12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	6	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	3	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	5	*		15 - 19 Years - Boys	0	*
<b>Total</b>	<b>50</b>	*		<b>Total</b>	<b>2</b>	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	12	*		5 - 8 Years	0	*
9 - 11 Years	6	*		9 - 11 Years	0	*
12 - 14 Years - Girls	2	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	2	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*		15 - 19 Years - Boys	0	*
<b>Total</b>	<b>25</b>	*		<b>Total</b>	<b>0</b>	*
Hispanic				Filipino		
5 - 8 Years	166	18.7		5 - 8 Years	1	*
9 - 11 Years	62	*		9 - 11 Years	0	*
12 - 14 Years - Girls	30	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	32	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	16	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	26	*	15 - 19 Years - Boys	0	*	
<b>Total</b>	<b>332</b>	<b>17.8</b>	<b>Total</b>	<b>1</b>	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	0	*	5 - 8 Years	30	*	
9 - 11 Years	0	*	9 - 11 Years	15	*	
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	5	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	5	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	10	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	3	*	
<b>Total</b>	<b>0</b>	*	<b>Total</b>	<b>68</b>	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Colusa**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 006**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	227	16.3	
9 - 11 Years	95	*	
12 - 14 Years - Girls	45	*	
12 - 14 Years - Boys	44	*	
15 - 19 Years - Girls	31	*	
15 - 19 Years - Boys	36	*	
<b>Total</b>	<b>478</b>	<b>17.8</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Contra Costa**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 007**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	30	*	5 - 8 Years	13	*
9 - 11 Years	26	*	9 - 11 Years	13	*
12 - 14 Years - Girls	16	*	12 - 14 Years - Girls	10	*
12 - 14 Years - Boys	13	*	12 - 14 Years - Boys	5	*
15 - 19 Years - Girls	22	*	15 - 19 Years - Girls	13	*
15 - 19 Years - Boys	11	*	15 - 19 Years - Boys	7	*
<b>Total</b>	<b>118</b>	<b>17.8</b>	<b>Total</b>	<b>61</b>	<b>*</b>
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	141	34.0	5 - 8 Years	4	*
9 - 11 Years	100	36.0	9 - 11 Years	4	*
12 - 14 Years - Girls	54	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	41	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	59	*	15 - 19 Years - Girls	6	*
15 - 19 Years - Boys	36	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>431</b>	<b>32.9</b>	<b>Total</b>	<b>14</b>	<b>*</b>
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	383	19.3	5 - 8 Years	10	*
9 - 11 Years	173	17.3	9 - 11 Years	4	*
12 - 14 Years - Girls	91	*	12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	58	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	69	*	15 - 19 Years - Girls	5	*
15 - 19 Years - Boys	46	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>820</b>	<b>17.8</b>	<b>Total</b>	<b>21</b>	<b>*</b>
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	1	*	5 - 8 Years	302	15.9
9 - 11 Years	0	*	9 - 11 Years	156	14.7
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	72	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	91	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	83	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	79	*
<b>Total</b>	<b>2</b>	<b>*</b>	<b>Total</b>	<b>783</b>	<b>17.1</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Contra Costa**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 007**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	884	20.5			
9 - 11 Years	476	21.0			
12 - 14 Years - Girls	245	9.4			
12 - 14 Years - Boys	209	29.2			
15 - 19 Years - Girls	257	17.9			
15 - 19 Years - Boys	179	26.3			
Total	2,250	20.4			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance (1)**  
**Del Norte**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years (2)**

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 008**

<b>Anemia Indicators by Race/Ethnicity and Age (3, 4)</b>					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	44	*	5 - 8 Years	12	*
9 - 11 Years	27	*	9 - 11 Years	9	*
12 - 14 Years - Girls	8	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	9	*	12 - 14 Years - Boys	3	*
15 - 19 Years - Girls	11	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	8	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>107</b>	<b>5.6</b>	<b>Total</b>	<b>27</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	2	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>3</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	22	*	5 - 8 Years	1	*
9 - 11 Years	5	*	9 - 11 Years	1	*
12 - 14 Years - Girls	3	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>35</b>	<b>*</b>	<b>Total</b>	<b>3</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	15	*	5 - 8 Years	11	*
9 - 11 Years	1	*	9 - 11 Years	5	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>22</b>	<b>*</b>	<b>Total</b>	<b>20</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Del Norte**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 008**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	107	5.6			
9 - 11 Years	49	*			
12 - 14 Years - Girls	14	*			
12 - 14 Years - Boys	17	*			
15 - 19 Years - Girls	17	*			
15 - 19 Years - Boys	13	*			
Total	217	8.8			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**El Dorado**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 009**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	108	10.2	5 - 8 Years	1	*
9 - 11 Years	56	*	9 - 11 Years	0	*
12 - 14 Years - Girls	20	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	33	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	27	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	27	*	15 - 19 Years - Boys	0	*
Total	271	9.6	Total	2	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	2	*	5 - 8 Years	2	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	6	*	15 - 19 Years - Boys	0	*
Total	14	*	Total	3	*
Hispanic			Filipino		
5 - 8 Years	107	14.0	5 - 8 Years	0	*
9 - 11 Years	46	*	9 - 11 Years	1	*
12 - 14 Years - Girls	21	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	13	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	15	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	11	*	15 - 19 Years - Boys	1	*
Total	213	14.6	Total	3	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	0	*	5 - 8 Years	65	*
9 - 11 Years	2	*	9 - 11 Years	22	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	8	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	9	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	12	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	9	*
Total	3	*	Total	125	11.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**El Dorado**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 009**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	285	11.9			
9 - 11 Years	128	11.7			
12 - 14 Years - Girls	51	*			
12 - 14 Years - Boys	58	*			
15 - 19 Years - Girls	58	*			
15 - 19 Years - Boys	54	*			
Total	634	11.8			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Fresno**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 010**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	1,121	10.7	5 - 8 Years	588	26.4
9 - 11 Years	535	10.3	9 - 11 Years	352	17.9
12 - 14 Years - Girls	243	6.6	12 - 14 Years - Girls	391	18.9
12 - 14 Years - Boys	246	10.6	12 - 14 Years - Boys	233	19.3
15 - 19 Years - Girls	212	14.2	15 - 19 Years - Girls	581	20.8
15 - 19 Years - Boys	221	15.4	15 - 19 Years - Boys	308	13.3
<b>Total</b>	<b>2,578</b>	<b>10.9</b>	<b>Total</b>	<b>2,453</b>	<b>20.3</b>
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	572	20.5	5 - 8 Years	7	*
9 - 11 Years	382	25.4	9 - 11 Years	6	*
12 - 14 Years - Girls	172	18.0	12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	190	28.9	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	181	21.5	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	183	20.8	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>1,680</b>	<b>22.4</b>	<b>Total</b>	<b>18</b>	<b>*</b>
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	8,733	14.4	5 - 8 Years	14	*
9 - 11 Years	4,805	12.8	9 - 11 Years	3	*
12 - 14 Years - Girls	2,129	11.4	12 - 14 Years - Girls	5	*
12 - 14 Years - Boys	2,148	12.9	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	2,000	15.0	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	1,680	12.2	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>21,495</b>	<b>13.5</b>	<b>Total</b>	<b>26</b>	<b>*</b>
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	82	*	5 - 8 Years	1,385	15.8
9 - 11 Years	31	*	9 - 11 Years	691	17.7
12 - 14 Years - Girls	10	*	12 - 14 Years - Girls	346	13.9
12 - 14 Years - Boys	18	*	12 - 14 Years - Boys	371	15.6
15 - 19 Years - Girls	15	*	15 - 19 Years - Girls	307	10.1
15 - 19 Years - Boys	12	*	15 - 19 Years - Boys	242	17.4
<b>Total</b>	<b>168</b>	<b>13.7</b>	<b>Total</b>	<b>3,342</b>	<b>15.6</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Fresno**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 010**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups		
5 - 8 Years	12,502 15.1	
9 - 11 Years	6,805 14.0	
12 - 14 Years - Girls	3,298 12.5	
12 - 14 Years - Boys	3,209 14.5	
15 - 19 Years - Girls	3,298 15.8	
15 - 19 Years - Boys	2,648 13.6	
<b>Total</b>	<b>31,760 14.5</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Glenn**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 011**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %		
White, Not Hispanic				Asian		
5 - 8 Years	46	*		5 - 8 Years	4	*
9 - 11 Years	25	*		9 - 11 Years	0	*
12 - 14 Years - Girls	9	*		12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	5	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	12	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	3	*		15 - 19 Years - Boys	0	*
<b>Total</b>	<b>100</b>	<b>21.0</b>		<b>Total</b>	<b>5</b>	<b>*</b>
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	3	*		5 - 8 Years	0	*
9 - 11 Years	0	*		9 - 11 Years	0	*
12 - 14 Years - Girls	1	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*		15 - 19 Years - Boys	0	*
<b>Total</b>	<b>6</b>	<b>*</b>		<b>Total</b>	<b>0</b>	<b>*</b>
Hispanic				Filipino		
5 - 8 Years	140	9.3		5 - 8 Years	0	*
9 - 11 Years	80	*		9 - 11 Years	0	*
12 - 14 Years - Girls	34	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	34	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	32	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	35	*	15 - 19 Years - Boys	0	*	
<b>Total</b>	<b>355</b>	<b>12.7</b>	<b>Total</b>	<b>0</b>	<b>*</b>	
American Indian/Alaskan Native			All Other			
5 - 8 Years	0	*	5 - 8 Years	9	*	
9 - 11 Years	2	*	9 - 11 Years	12	*	
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	2	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	2	*	
<b>Total</b>	<b>3</b>	<b>*</b>	<b>Total</b>	<b>26</b>	<b>*</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Glenn**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 011**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	202	14.4	
9 - 11 Years	119	19.3	
12 - 14 Years - Girls	45	*	
12 - 14 Years - Boys	42	*	
15 - 19 Years - Girls	45	*	
15 - 19 Years - Boys	42	*	
<b>Total</b>	<b>495</b>	<b>16.2</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Humboldt**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 012**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	109	11.9	5 - 8 Years	8	*
9 - 11 Years	42	*	9 - 11 Years	3	*
12 - 14 Years - Girls	18	*	12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	18	*	12 - 14 Years - Boys	3	*
15 - 19 Years - Girls	21	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	22	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>230</b>	<b>13.0</b>	<b>Total</b>	<b>16</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	2	*	5 - 8 Years	1	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>5</b>	<b>*</b>	<b>Total</b>	<b>1</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	33	*	5 - 8 Years	0	*
9 - 11 Years	17	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	12	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	6	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>74</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	33	*	5 - 8 Years	141	9.9
9 - 11 Years	27	*	9 - 11 Years	81	*
12 - 14 Years - Girls	8	*	12 - 14 Years - Girls	27	*
12 - 14 Years - Boys	9	*	12 - 14 Years - Boys	27	*
15 - 19 Years - Girls	9	*	15 - 19 Years - Girls	18	*
15 - 19 Years - Boys	8	*	15 - 19 Years - Boys	18	*
<b>Total</b>	<b>94</b>	<b>*</b>	<b>Total</b>	<b>312</b>	<b>11.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Humboldt**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 012**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	327	10.1			
9 - 11 Years	171	9.4			
12 - 14 Years - Girls	57	*			
12 - 14 Years - Boys	70	*			
15 - 19 Years - Girls	54	*			
15 - 19 Years - Boys	53	*			
Total	732	12.6			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Imperial**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 013**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	35	*	5 - 8 Years	2	*
9 - 11 Years	23	*	9 - 11 Years	0	*
12 - 14 Years - Girls	13	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	8	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	7	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	18	*	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>104</b>	<b>8.7</b>	<b>Total</b>	<b>4</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	14	*	5 - 8 Years	0	*
9 - 11 Years	7	*	9 - 11 Years	0	*
12 - 14 Years - Girls	5	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	8	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	6	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	7	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>47</b>	<b>*</b>	<b>Total</b>	<b>1</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	1,370	9.3	5 - 8 Years	2	*
9 - 11 Years	576	7.3	9 - 11 Years	4	*
12 - 14 Years - Girls	335	6.6	12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	297	13.5	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	262	13.0	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	190	12.1	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>3,030</b>	<b>9.5</b>	<b>Total</b>	<b>8</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	1	*	5 - 8 Years	30	*
9 - 11 Years	1	*	9 - 11 Years	14	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	12	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	6	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	5	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	5	*
<b>Total</b>	<b>6</b>	<b>*</b>	<b>Total</b>	<b>72</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Imperial**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 013**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	1,454	9.4	
9 - 11 Years	625	7.0	
12 - 14 Years - Girls	368	7.6	
12 - 14 Years - Boys	320	14.1	
15 - 19 Years - Girls	282	13.5	
15 - 19 Years - Boys	223	11.2	
<b>Total</b>	<b>3,272</b>	<b>9.7</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Inyo**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 014**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	5	*	5 - 8 Years	0	*
9 - 11 Years	2	*	9 - 11 Years	1	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>12</b>	*	<b>Total</b>	<b>1</b>	*
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	2	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>4</b>	*	<b>Total</b>	<b>0</b>	*
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	26	*	5 - 8 Years	0	*
9 - 11 Years	15	*	9 - 11 Years	0	*
12 - 14 Years - Girls	10	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	7	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	4	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>64</b>	*	<b>Total</b>	<b>0</b>	*
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	11	*	5 - 8 Years	0	*
9 - 11 Years	11	*	9 - 11 Years	0	*
12 - 14 Years - Girls	3	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	7	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	4	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>40</b>	*	<b>Total</b>	<b>2</b>	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Inyo**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 014**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	44	*	
9 - 11 Years	29	*	
12 - 14 Years - Girls	15	*	
12 - 14 Years - Boys	18	*	
15 - 19 Years - Girls	8	*	
15 - 19 Years - Boys	9	*	
<b>Total</b>	<b>123</b>	<b>8.1</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kern**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 015**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	471	11.9	5 - 8 Years	18	*
9 - 11 Years	241	13.7	9 - 11 Years	11	*
12 - 14 Years - Girls	145	3.4	12 - 14 Years - Girls	6	*
12 - 14 Years - Boys	117	20.5	12 - 14 Years - Boys	9	*
15 - 19 Years - Girls	86	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	104	14.4	15 - 19 Years - Boys	4	*
<b>Total</b>	<b>1,164</b>	<b>11.9</b>	<b>Total</b>	<b>49</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	312	21.5	5 - 8 Years	2	*
9 - 11 Years	166	26.5	9 - 11 Years	3	*
12 - 14 Years - Girls	85	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	83	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	83	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	85	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>814</b>	<b>23.0</b>	<b>Total</b>	<b>8</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	4,432	12.6	5 - 8 Years	33	*
9 - 11 Years	2,020	10.8	9 - 11 Years	16	*
12 - 14 Years - Girls	1,030	8.0	12 - 14 Years - Girls	5	*
12 - 14 Years - Boys	965	11.2	12 - 14 Years - Boys	7	*
15 - 19 Years - Girls	802	14.6	15 - 19 Years - Girls	16	*
15 - 19 Years - Boys	622	16.2	15 - 19 Years - Boys	10	*
<b>Total</b>	<b>9,871</b>	<b>12.0</b>	<b>Total</b>	<b>87</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	3	*	5 - 8 Years	384	15.1
9 - 11 Years	2	*	9 - 11 Years	197	14.7
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	87	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	76	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	60	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	60	*
<b>Total</b>	<b>9</b>	<b>*</b>	<b>Total</b>	<b>864</b>	<b>13.4</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kern**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 015**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	5,655	13.2			
9 - 11 Years	2,656	12.3			
12 - 14 Years - Girls	1,360	8.4			
12 - 14 Years - Boys	1,257	13.4			
15 - 19 Years - Girls	1,051	14.6			
15 - 19 Years - Boys	887	16.0			
Total	12,866	12.8			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kings**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 016**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	50	*		5 - 8 Years	0	*
9 - 11 Years	27	*		9 - 11 Years	0	*
12 - 14 Years - Girls	13	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	10	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	12	*		15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	13	*		15 - 19 Years - Boys	0	*
Total	125	16.0		Total	2	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	22	*	5 - 8 Years	1	*	
9 - 11 Years	6	*	9 - 11 Years	0	*	
12 - 14 Years - Girls	11	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	11	*	12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	6	*	15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	13	*	15 - 19 Years - Boys	1	*	
Total	69	*	Total	4	*	
Hispanic			Filipino			
5 - 8 Years	506	20.6	5 - 8 Years	3	*	
9 - 11 Years	238	19.3	9 - 11 Years	0	*	
12 - 14 Years - Girls	127	11.8	12 - 14 Years - Girls	1	*	
12 - 14 Years - Boys	133	19.5	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	123	20.3	15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	106	20.8	15 - 19 Years - Boys	0	*	
Total	1,233	19.3	Total	5	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	2	*	5 - 8 Years	85	*	
9 - 11 Years	1	*	9 - 11 Years	35	*	
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	24	*	
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	17	*	
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	20	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	16	*	
Total	6	*	Total	197	21.8	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Kings**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 016**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	669	22.1			
9 - 11 Years	307	21.2			
12 - 14 Years - Girls	177	13.6			
12 - 14 Years - Boys	173	19.7			
15 - 19 Years - Girls	166	21.7			
15 - 19 Years - Boys	149	19.5			
Total	1,641	20.5			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**L.A. East**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 095**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	80	*		5 - 8 Years	113	9.7
9 - 11 Years	55	*		9 - 11 Years	63	*
12 - 14 Years - Girls	14	*		12 - 14 Years - Girls	40	*
12 - 14 Years - Boys	26	*		12 - 14 Years - Boys	33	*
15 - 19 Years - Girls	33	*		15 - 19 Years - Girls	34	*
15 - 19 Years - Boys	61	*		15 - 19 Years - Boys	44	*
<b>Total</b>	<b>269</b>	<b>13.4</b>		<b>Total</b>	<b>327</b>	<b>12.2</b>
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	65	*	5 - 8 Years	2	*	
9 - 11 Years	50	*	9 - 11 Years	1	*	
12 - 14 Years - Girls	28	*	12 - 14 Years - Girls	1	*	
12 - 14 Years - Boys	60	*	12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	23	*	15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	118	21.2	15 - 19 Years - Boys	2	*	
<b>Total</b>	<b>344</b>	<b>24.7</b>	<b>Total</b>	<b>8</b>	*	
Hispanic			Filipino			
5 - 8 Years	7,713	10.9	5 - 8 Years	26	*	
9 - 11 Years	7,741	5.8	9 - 11 Years	14	*	
12 - 14 Years - Girls	4,141	5.0	12 - 14 Years - Girls	10	*	
12 - 14 Years - Boys	3,988	7.1	12 - 14 Years - Boys	10	*	
15 - 19 Years - Girls	3,811	9.9	15 - 19 Years - Girls	2	*	
15 - 19 Years - Boys	3,700	11.3	15 - 19 Years - Boys	5	*	
<b>Total</b>	<b>31,094</b>	<b>8.3</b>	<b>Total</b>	<b>67</b>	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	0	*	5 - 8 Years	188	16.0	
9 - 11 Years	2	*	9 - 11 Years	95	*	
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	50	*	
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	66	*	
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	67	*	
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	59	*	
<b>Total</b>	<b>9</b>	*	<b>Total</b>	<b>525</b>	<b>16.4</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**L.A. East**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 095**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	8,187	11.1			
9 - 11 Years	8,021	6.2			
12 - 14 Years - Girls	4,285	5.3			
12 - 14 Years - Boys	4,186	7.5			
15 - 19 Years - Girls	3,973	10.5			
15 - 19 Years - Boys	3,991	11.9			
Total	32,643	8.7			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**L.A. North**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 094**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	103	11.7	5 - 8 Years	14	*
9 - 11 Years	91	*	9 - 11 Years	7	*
12 - 14 Years - Girls	35	*	12 - 14 Years - Girls	4	*
12 - 14 Years - Boys	33	*	12 - 14 Years - Boys	4	*
15 - 19 Years - Girls	45	*	15 - 19 Years - Girls	10	*
15 - 19 Years - Boys	43	*	15 - 19 Years - Boys	5	*
<b>Total</b>	<b>350</b>	<b>10.9</b>	<b>Total</b>	<b>44</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	63	*	5 - 8 Years	1	*
9 - 11 Years	49	*	9 - 11 Years	1	*
12 - 14 Years - Girls	34	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	39	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	43	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	57	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>285</b>	<b>24.2</b>	<b>Total</b>	<b>5</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	3,064	10.3	5 - 8 Years	9	*
9 - 11 Years	2,288	7.9	9 - 11 Years	12	*
12 - 14 Years - Girls	1,205	5.8	12 - 14 Years - Girls	9	*
12 - 14 Years - Boys	1,175	9.1	12 - 14 Years - Boys	6	*
15 - 19 Years - Girls	1,855	7.6	15 - 19 Years - Girls	6	*
15 - 19 Years - Boys	2,203	9.1	15 - 19 Years - Boys	5	*
<b>Total</b>	<b>11,790</b>	<b>8.6</b>	<b>Total</b>	<b>47</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	1	*	5 - 8 Years	200	9.5
9 - 11 Years	0	*	9 - 11 Years	127	15.0
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	48	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	60	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	63	*
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	82	*
<b>Total</b>	<b>8</b>	<b>*</b>	<b>Total</b>	<b>580</b>	<b>11.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**L.A. North**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 094**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	3,455	10.6			
9 - 11 Years	2,575	8.5			
12 - 14 Years - Girls	1,337	6.5			
12 - 14 Years - Boys	1,319	9.9			
15 - 19 Years - Girls	2,024	8.3			
15 - 19 Years - Boys	2,399	9.6			
Total	13,109	9.2			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**L.A. Other**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 097**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %		
White, Not Hispanic				Asian		
5 - 8 Years	643	10.6		5 - 8 Years	437	15.6
9 - 11 Years	361	8.0		9 - 11 Years	273	9.5
12 - 14 Years - Girls	201	8.0		12 - 14 Years - Girls	122	13.9
12 - 14 Years - Boys	196	9.2		12 - 14 Years - Boys	123	11.4
15 - 19 Years - Girls	157	7.0		15 - 19 Years - Girls	190	11.6
15 - 19 Years - Boys	187	15.5		15 - 19 Years - Boys	164	14.6
Total	1,745	9.8		Total	1,309	13.1
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	1,665	21.2		5 - 8 Years	29	*
9 - 11 Years	1,035	21.4		9 - 11 Years	23	*
12 - 14 Years - Girls	517	18.8		12 - 14 Years - Girls	12	*
12 - 14 Years - Boys	519	22.9		12 - 14 Years - Boys	10	*
15 - 19 Years - Girls	546	25.8		15 - 19 Years - Girls	9	*
15 - 19 Years - Boys	484	23.8		15 - 19 Years - Boys	5	*
Total	4,766	22.0		Total	88	*
Hispanic				Filipino		
5 - 8 Years	25,546	11.0		5 - 8 Years	131	11.5
9 - 11 Years	13,280	9.5		9 - 11 Years	69	*
12 - 14 Years - Girls	6,542	8.3		12 - 14 Years - Girls	34	*
12 - 14 Years - Boys	6,153	12.6		12 - 14 Years - Boys	33	*
15 - 19 Years - Girls	5,952	12.6		15 - 19 Years - Girls	49	*
15 - 19 Years - Boys	5,072	13.2		15 - 19 Years - Boys	33	*
Total	62,545	10.9		Total	349	13.8
American Indian/Alaskan Native			All Other			
5 - 8 Years	17	*	5 - 8 Years	1,529	13.9	
9 - 11 Years	9	*	9 - 11 Years	864	14.9	
12 - 14 Years - Girls	9	*	12 - 14 Years - Girls	433	10.6	
12 - 14 Years - Boys	10	*	12 - 14 Years - Boys	378	15.9	
15 - 19 Years - Girls	11	*	15 - 19 Years - Girls	385	18.4	
15 - 19 Years - Boys	9	*	15 - 19 Years - Boys	330	12.7	
Total	65	*	Total	3,919	14.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**L.A. Other**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 097**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct				Anemia Low Hb/Hct	
	Number	%			Number	%
Total All Race/Ethnic Groups						
5 - 8 Years	29,997	11.8				
9 - 11 Years	15,914	10.6				
12 - 14 Years - Girls	7,870	9.2				
12 - 14 Years - Boys	7,422	13.4				
15 - 19 Years - Girls	7,299	13.8				
15 - 19 Years - Boys	6,284	14.2				
Total	74,786	11.8				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**L.A. South**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 096**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	136	7.4		5 - 8 Years	100	11.0
9 - 11 Years	50	*		9 - 11 Years	46	*
12 - 14 Years - Girls	25	*		12 - 14 Years - Girls	29	*
12 - 14 Years - Boys	21	*		12 - 14 Years - Boys	18	*
15 - 19 Years - Girls	19	*		15 - 19 Years - Girls	23	*
15 - 19 Years - Boys	19	*		15 - 19 Years - Boys	29	*
<b>Total</b>	<b>270</b>	<b>8.1</b>		<b>Total</b>	<b>245</b>	<b>7.3</b>
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	587	19.6	5 - 8 Years	21	*	
9 - 11 Years	275	24.7	9 - 11 Years	7	*	
12 - 14 Years - Girls	163	19.0	12 - 14 Years - Girls	4	*	
12 - 14 Years - Boys	161	29.8	12 - 14 Years - Boys	2	*	
15 - 19 Years - Girls	208	28.4	15 - 19 Years - Girls	8	*	
15 - 19 Years - Boys	178	23.0	15 - 19 Years - Boys	4	*	
<b>Total</b>	<b>1,572</b>	<b>23.0</b>	<b>Total</b>	<b>46</b>	<b>*</b>	
Hispanic			Filipino			
5 - 8 Years	9,164	6.8	5 - 8 Years	91	*	
9 - 11 Years	4,993	6.4	9 - 11 Years	47	*	
12 - 14 Years - Girls	2,470	5.6	12 - 14 Years - Girls	21	*	
12 - 14 Years - Boys	2,300	9.8	12 - 14 Years - Boys	17	*	
15 - 19 Years - Girls	3,350	10.1	15 - 19 Years - Girls	23	*	
15 - 19 Years - Boys	4,035	10.1	15 - 19 Years - Boys	16	*	
<b>Total</b>	<b>26,312</b>	<b>7.8</b>	<b>Total</b>	<b>215</b>	<b>6.0</b>	
American Indian/Alaskan Native			All Other			
5 - 8 Years	3	*	5 - 8 Years	344	10.8	
9 - 11 Years	2	*	9 - 11 Years	170	13.5	
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	65	*	
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	89	*	
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	90	*	
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	80	*	
<b>Total</b>	<b>10</b>	<b>*</b>	<b>Total</b>	<b>838</b>	<b>13.5</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**L.A. South**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 096**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	10,446	7.7			
9 - 11 Years	5,590	7.6			
12 - 14 Years - Girls	2,778	6.4			
12 - 14 Years - Boys	2,609	11.2			
15 - 19 Years - Girls	3,723	11.1			
15 - 19 Years - Boys	4,362	10.9			
Total	29,508	8.8			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**L.A. West**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 093**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	15	*	5 - 8 Years	8	*
9 - 11 Years	13	*	9 - 11 Years	5	*
12 - 14 Years - Girls	5	*	12 - 14 Years - Girls	3	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	6	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	7	*	15 - 19 Years - Boys	3	*
<b>Total</b>	<b>49</b>	*	<b>Total</b>	<b>21</b>	*
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	165	23.6	5 - 8 Years	3	*
9 - 11 Years	122	15.6	9 - 11 Years	0	*
12 - 14 Years - Girls	85	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	67	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	88	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	59	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>586</b>	<b>21.8</b>	<b>Total</b>	<b>5</b>	*
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	558	8.4	5 - 8 Years	9	*
9 - 11 Years	313	6.1	9 - 11 Years	5	*
12 - 14 Years - Girls	155	8.4	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	138	15.2	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	153	11.1	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	149	20.8	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>1,466</b>	<b>10.1</b>	<b>Total</b>	<b>18</b>	*
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	0	*	5 - 8 Years	24	*
9 - 11 Years	0	*	9 - 11 Years	13	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	8	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	7	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	8	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	9	*
<b>Total</b>	<b>1</b>	*	<b>Total</b>	<b>69</b>	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**L.A. West**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 093**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	782	12.1			
9 - 11 Years	471	9.1			
12 - 14 Years - Girls	257	10.1			
12 - 14 Years - Boys	219	19.2			
15 - 19 Years - Girls	257	17.1			
15 - 19 Years - Boys	229	21.8			
Total	2,215	13.5			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Lake**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 017**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	54	*	5 - 8 Years	2	*
9 - 11 Years	15	*	9 - 11 Years	0	*
12 - 14 Years - Girls	11	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	6	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	6	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>95</b>	*	<b>Total</b>	<b>2</b>	*
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	2	*	5 - 8 Years	2	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>8</b>	*	<b>Total</b>	<b>2</b>	*
Hispanic			Filipino		
5 - 8 Years	69	*	5 - 8 Years	0	*
9 - 11 Years	19	*	9 - 11 Years	0	*
12 - 14 Years - Girls	8	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	13	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	11	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	13	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>133</b>	<b>7.5</b>	<b>Total</b>	<b>0</b>	*
American Indian/Alaskan Native			All Other		
5 - 8 Years	2	*	5 - 8 Years	31	*
9 - 11 Years	0	*	9 - 11 Years	10	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	7	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	5	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	3	*
<b>Total</b>	<b>2</b>	*	<b>Total</b>	<b>57</b>	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Lake**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 017**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	162	12.3	
9 - 11 Years	45	*	
12 - 14 Years - Girls	27	*	
12 - 14 Years - Boys	21	*	
15 - 19 Years - Girls	21	*	
15 - 19 Years - Boys	23	*	
<b>Total</b>	<b>299</b>	<b>12.4</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Lassen**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 018**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	38	*	5 - 8 Years	0	*
9 - 11 Years	30	*	9 - 11 Years	0	*
12 - 14 Years - Girls	17	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	15	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	16	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	18	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>134</b>	<b>5.2</b>	<b>Total</b>	<b>1</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	5	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>10</b>	<b>*</b>	<b>Total</b>	<b>1</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	23	*	5 - 8 Years	0	*
9 - 11 Years	11	*	9 - 11 Years	1	*
12 - 14 Years - Girls	4	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	6	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	4	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	12	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>60</b>	<b>*</b>	<b>Total</b>	<b>1</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	1	*	5 - 8 Years	4	*
9 - 11 Years	3	*	9 - 11 Years	5	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>8</b>	<b>*</b>	<b>Total</b>	<b>9</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Lassen**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 018**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	71	*	
9 - 11 Years	51	*	
12 - 14 Years - Girls	21	*	
12 - 14 Years - Boys	25	*	
15 - 19 Years - Girls	25	*	
15 - 19 Years - Boys	31	*	
<b>Total</b>	<b>224</b>	<b>6.3</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Long Beach**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 062**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	35	*	5 - 8 Years	92	*
9 - 11 Years	27	*	9 - 11 Years	97	*
12 - 14 Years - Girls	10	*	12 - 14 Years - Girls	91	*
12 - 14 Years - Boys	16	*	12 - 14 Years - Boys	55	*
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	115	11.3
15 - 19 Years - Boys	13	*	15 - 19 Years - Boys	81	*
<b>Total</b>	<b>106</b>	<b>9.4</b>	<b>Total</b>	<b>531</b>	<b>13.7</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	259	25.1	5 - 8 Years	20	*
9 - 11 Years	176	31.3	9 - 11 Years	10	*
12 - 14 Years - Girls	108	19.4	12 - 14 Years - Girls	8	*
12 - 14 Years - Boys	91	*	12 - 14 Years - Boys	8	*
15 - 19 Years - Girls	113	30.1	15 - 19 Years - Girls	9	*
15 - 19 Years - Boys	89	*	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>836</b>	<b>28.0</b>	<b>Total</b>	<b>57</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	1,046	13.7	5 - 8 Years	7	*
9 - 11 Years	630	10.0	9 - 11 Years	6	*
12 - 14 Years - Girls	307	7.2	12 - 14 Years - Girls	3	*
12 - 14 Years - Boys	298	13.4	12 - 14 Years - Boys	5	*
15 - 19 Years - Girls	353	12.5	15 - 19 Years - Girls	5	*
15 - 19 Years - Boys	235	13.2	15 - 19 Years - Boys	3	*
<b>Total</b>	<b>2,869</b>	<b>12.0</b>	<b>Total</b>	<b>29</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	5	*	5 - 8 Years	111	24.3
9 - 11 Years	2	*	9 - 11 Years	41	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	26	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	16	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	13	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	15	*
<b>Total</b>	<b>8</b>	<b>*</b>	<b>Total</b>	<b>222</b>	<b>21.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Long Beach**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 062**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups		
5 - 8 Years	1,575	16.6
9 - 11 Years	989	13.1
12 - 14 Years - Girls	553	10.7
12 - 14 Years - Boys	489	17.2
15 - 19 Years - Girls	613	16.0
15 - 19 Years - Boys	439	19.1
<b>Total</b>	<b>4,658</b>	<b>15.4</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Madera**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 020**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %		
White, Not Hispanic				Asian		
5 - 8 Years	135	15.6		5 - 8 Years	1	*
9 - 11 Years	57	*		9 - 11 Years	0	*
12 - 14 Years - Girls	20	*		12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	19	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	15	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	16	*		15 - 19 Years - Boys	0	*
Total	262	14.9		Total	2	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	17	*		5 - 8 Years	2	*
9 - 11 Years	11	*		9 - 11 Years	1	*
12 - 14 Years - Girls	12	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	5	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	6	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*		15 - 19 Years - Boys	0	*
Total	53	*		Total	3	*
Hispanic				Filipino		
5 - 8 Years	1,569	14.7		5 - 8 Years	0	*
9 - 11 Years	895	12.5		9 - 11 Years	1	*
12 - 14 Years - Girls	431	8.8		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	482	11.0	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	369	11.4	15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	350	8.6	15 - 19 Years - Boys	1	*	
Total	4,096	12.4	Total	3	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	12	*	5 - 8 Years	72	*	
9 - 11 Years	5	*	9 - 11 Years	32	*	
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	16	*	
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	11	*	
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	17	*	
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	12	*	
Total	29	*	Total	160	20.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Madera**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 020**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	1,808	15.0			
9 - 11 Years	1,002	12.2			
12 - 14 Years - Girls	482	8.9			
12 - 14 Years - Boys	519	11.9			
15 - 19 Years - Girls	413	13.1			
15 - 19 Years - Boys	384	9.1			
Total	4,608	12.8			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Marin**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 021**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	13	*	5 - 8 Years	6	*
9 - 11 Years	7	*	9 - 11 Years	1	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	6	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>31</b>	*	<b>Total</b>	<b>8</b>	*
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	6	*	5 - 8 Years	0	*
9 - 11 Years	4	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>19</b>	*	<b>Total</b>	<b>0</b>	*
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	114	9.6	5 - 8 Years	1	*
9 - 11 Years	49	*	9 - 11 Years	0	*
12 - 14 Years - Girls	14	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	6	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	13	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	10	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>206</b>	<b>12.1</b>	<b>Total</b>	<b>1</b>	*
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	3	*	5 - 8 Years	18	*
9 - 11 Years	0	*	9 - 11 Years	6	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>3</b>	*	<b>Total</b>	<b>30</b>	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Marin**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 021**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	161	11.8	
9 - 11 Years	67	*	
12 - 14 Years - Girls	18	*	
12 - 14 Years - Boys	16	*	
15 - 19 Years - Girls	21	*	
15 - 19 Years - Boys	15	*	
<b>Total</b>	<b>298</b>	<b>14.8</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Mariposa**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 022**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	7	*	5 - 8 Years	0	*
9 - 11 Years	6	*	9 - 11 Years	0	*
12 - 14 Years - Girls	9	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	4	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>29</b>	*	<b>Total</b>	<b>0</b>	*
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>2</b>	*	<b>Total</b>	<b>0</b>	*
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	2	*	5 - 8 Years	0	*
9 - 11 Years	2	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	4	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>11</b>	*	<b>Total</b>	<b>0</b>	*
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	0	*	5 - 8 Years	1	*
9 - 11 Years	1	*	9 - 11 Years	1	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>3</b>	*	<b>Total</b>	<b>4</b>	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Mariposa**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 022**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct				Anemia Low Hb/Hct	
	Number	%			Number	%
Total All Race/Ethnic Groups						
5 - 8 Years	10	*				
9 - 11 Years	11	*				
12 - 14 Years - Girls	11	*				
12 - 14 Years - Boys	9	*				
15 - 19 Years - Girls	7	*				
15 - 19 Years - Boys	1	*				
Total	49	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Mendocino**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 023**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	52	*	5 - 8 Years	0	*
9 - 11 Years	25	*	9 - 11 Years	0	*
12 - 14 Years - Girls	18	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	21	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	31	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	28	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>175</b>	<b>13.7</b>	<b>Total</b>	<b>1</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	1	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>3</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	72	*	5 - 8 Years	0	*
9 - 11 Years	46	*	9 - 11 Years	0	*
12 - 14 Years - Girls	24	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	21	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	30	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	25	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>218</b>	<b>11.5</b>	<b>Total</b>	<b>0</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	10	*	5 - 8 Years	58	*
9 - 11 Years	5	*	9 - 11 Years	19	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	14	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	7	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	10	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	9	*
<b>Total</b>	<b>21</b>	<b>*</b>	<b>Total</b>	<b>117</b>	<b>15.4</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Mendocino**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 023**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	193	13.5			
9 - 11 Years	96	*			
12 - 14 Years - Girls	58	*			
12 - 14 Years - Boys	53	*			
15 - 19 Years - Girls	71	*			
15 - 19 Years - Boys	64	*			
Total	535	13.5			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Merced**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 024**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	276	19.9		5 - 8 Years	126	23.8
9 - 11 Years	113	17.7		9 - 11 Years	79	*
12 - 14 Years - Girls	52	*		12 - 14 Years - Girls	48	*
12 - 14 Years - Boys	61	*		12 - 14 Years - Boys	50	*
15 - 19 Years - Girls	60	*		15 - 19 Years - Girls	63	*
15 - 19 Years - Boys	47	*		15 - 19 Years - Boys	70	*
<b>Total</b>	<b>609</b>	<b>17.2</b>		<b>Total</b>	<b>436</b>	<b>23.6</b>
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	88	*	5 - 8 Years	2	*	
9 - 11 Years	44	*	9 - 11 Years	1	*	
12 - 14 Years - Girls	18	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	27	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	33	*	15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	23	*	15 - 19 Years - Boys	0	*	
<b>Total</b>	<b>233</b>	<b>29.6</b>	<b>Total</b>	<b>4</b>	*	
Hispanic			Filipino			
5 - 8 Years	1,478	20.2	5 - 8 Years	2	*	
9 - 11 Years	622	14.1	9 - 11 Years	1	*	
12 - 14 Years - Girls	304	13.2	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	274	18.2	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	264	18.2	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	211	12.8	15 - 19 Years - Boys	0	*	
<b>Total</b>	<b>3,153</b>	<b>17.5</b>	<b>Total</b>	<b>3</b>	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	3	*	5 - 8 Years	173	19.1	
9 - 11 Years	1	*	9 - 11 Years	63	*	
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	25	*	
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	29	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	19	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	24	*	
<b>Total</b>	<b>6</b>	*	<b>Total</b>	<b>333</b>	<b>20.4</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Merced**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 024**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	2,148	20.8			
9 - 11 Years	924	18.0			
12 - 14 Years - Girls	448	14.1			
12 - 14 Years - Boys	442	18.1			
15 - 19 Years - Girls	440	20.7			
15 - 19 Years - Boys	375	13.3			
Total	4,777	18.8			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Modoc**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 025**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	8	*	5 - 8 Years	0	*
9 - 11 Years	7	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	9	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	10	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	10	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>46</b>	*	<b>Total</b>	<b>0</b>	*
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>1</b>	*	<b>Total</b>	<b>0</b>	*
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	9	*	5 - 8 Years	0	*
9 - 11 Years	9	*	9 - 11 Years	0	*
12 - 14 Years - Girls	6	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	4	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	7	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	5	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>40</b>	*	<b>Total</b>	<b>0</b>	*
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	1	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>3</b>	*	<b>Total</b>	<b>5</b>	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Modoc**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 025**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	18	*			
9 - 11 Years	16	*			
12 - 14 Years - Girls	9	*			
12 - 14 Years - Boys	14	*			
15 - 19 Years - Girls	21	*			
15 - 19 Years - Boys	17	*			
Total	95	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Mono**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 026**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	9	*	5 - 8 Years	0	*
9 - 11 Years	4	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>20</b>	*	<b>Total</b>	<b>0</b>	*
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>0</b>	*	<b>Total</b>	<b>0</b>	*
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	50	*	5 - 8 Years	0	*
9 - 11 Years	23	*	9 - 11 Years	0	*
12 - 14 Years - Girls	9	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	8	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	6	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	6	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>102</b>	<b>20.6</b>	<b>Total</b>	<b>0</b>	*
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	2	*	5 - 8 Years	5	*
9 - 11 Years	1	*	9 - 11 Years	2	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	5	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>4</b>	*	<b>Total</b>	<b>15</b>	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Mono**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 026**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	66	*	
9 - 11 Years	30	*	
12 - 14 Years - Girls	16	*	
12 - 14 Years - Boys	11	*	
15 - 19 Years - Girls	8	*	
15 - 19 Years - Boys	10	*	
<b>Total</b>	<b>141</b>	<b>21.3</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Monterey**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 027**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	18	*		5 - 8 Years	5	*
9 - 11 Years	9	*		9 - 11 Years	1	*
12 - 14 Years - Girls	2	*		12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	3	*		12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	7	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	3	*		15 - 19 Years - Boys	0	*
Total	42	*		Total	9	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	6	*	5 - 8 Years	0	*	
9 - 11 Years	0	*	9 - 11 Years	0	*	
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	1	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	2	*	
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*	
Total	9	*	Total	3	*	
Hispanic			Filipino			
5 - 8 Years	1,065	12.5	5 - 8 Years	2	*	
9 - 11 Years	488	8.8	9 - 11 Years	0	*	
12 - 14 Years - Girls	237	7.6	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	206	11.7	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	210	10.5	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	217	10.6	15 - 19 Years - Boys	1	*	
Total	2,423	10.9	Total	3	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	1	*	5 - 8 Years	33	*	
9 - 11 Years	0	*	9 - 11 Years	18	*	
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	6	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	6	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	10	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	3	*	
Total	1	*	Total	76	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Monterey**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** <sup>(2)</sup>

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 027**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	1,130	12.7			
9 - 11 Years	516	9.1			
12 - 14 Years - Girls	248	7.3			
12 - 14 Years - Boys	217	12.4			
15 - 19 Years - Girls	230	11.3			
15 - 19 Years - Boys	225	10.7			
Total	2,566	11.1			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Napa**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 028**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %		
White, Not Hispanic				Asian		
5 - 8 Years	30	*		5 - 8 Years	4	*
9 - 11 Years	12	*		9 - 11 Years	0	*
12 - 14 Years - Girls	6	*		12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	8	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	18	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	12	*		15 - 19 Years - Boys	1	*
Total	86	*		Total	6	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	7	*		5 - 8 Years	1	*
9 - 11 Years	2	*		9 - 11 Years	0	*
12 - 14 Years - Girls	0	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*		12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	0	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	4	*		15 - 19 Years - Boys	1	*
Total	15	*		Total	4	*
Hispanic				Filipino		
5 - 8 Years	147	21.8		5 - 8 Years	6	*
9 - 11 Years	77	*		9 - 11 Years	0	*
12 - 14 Years - Girls	28	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	38	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	52	*	15 - 19 Years - Girls	2	*	
15 - 19 Years - Boys	58	*	15 - 19 Years - Boys	2	*	
Total	400	16.3	Total	10	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	2	*	5 - 8 Years	66	*	
9 - 11 Years	0	*	9 - 11 Years	37	*	
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	12	*	
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	15	*	
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	10	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	13	*	
Total	4	*	Total	153	20.3	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Napa**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 028**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	263	22.8			
9 - 11 Years	128	16.4			
12 - 14 Years - Girls	47	*			
12 - 14 Years - Boys	66	*			
15 - 19 Years - Girls	83	*			
15 - 19 Years - Boys	91	*			
<b>Total</b>	<b>678</b>	<b>17.8</b>			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Nevada**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 029**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	119	11.8	5 - 8 Years	1	*
9 - 11 Years	45	*	9 - 11 Years	1	*
12 - 14 Years - Girls	18	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	28	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	26	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	23	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>259</b>	<b>11.6</b>	<b>Total</b>	<b>2</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	0	*	5 - 8 Years	1	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	4	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>10</b>	<b>*</b>	<b>Total</b>	<b>1</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	34	*	5 - 8 Years	0	*
9 - 11 Years	6	*	9 - 11 Years	0	*
12 - 14 Years - Girls	6	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	8	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	4	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	12	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>70</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	0	*	5 - 8 Years	15	*
9 - 11 Years	0	*	9 - 11 Years	1	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>0</b>	<b>*</b>	<b>Total</b>	<b>19</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Nevada**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 029**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	170	11.2	
9 - 11 Years	54	*	
12 - 14 Years - Girls	26	*	
12 - 14 Years - Boys	41	*	
15 - 19 Years - Girls	32	*	
15 - 19 Years - Boys	38	*	
<b>Total</b>	<b>361</b>	<b>11.9</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Orange**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 030**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	404	8.4	5 - 8 Years	790	17.3
9 - 11 Years	221	10.4	9 - 11 Years	558	12.4
12 - 14 Years - Girls	113	5.3	12 - 14 Years - Girls	370	6.8
12 - 14 Years - Boys	97	*	12 - 14 Years - Boys	359	10.9
15 - 19 Years - Girls	90	*	15 - 19 Years - Girls	474	11.0
15 - 19 Years - Boys	94	*	15 - 19 Years - Boys	385	15.1
<b>Total</b>	<b>1,019</b>	<b>11.4</b>	<b>Total</b>	<b>2,936</b>	<b>12.9</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	102	16.7	5 - 8 Years	33	*
9 - 11 Years	55	*	9 - 11 Years	17	*
12 - 14 Years - Girls	39	*	12 - 14 Years - Girls	9	*
12 - 14 Years - Boys	36	*	12 - 14 Years - Boys	8	*
15 - 19 Years - Girls	43	*	15 - 19 Years - Girls	6	*
15 - 19 Years - Boys	34	*	15 - 19 Years - Boys	13	*
<b>Total</b>	<b>309</b>	<b>22.0</b>	<b>Total</b>	<b>86</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	9,080	10.7	5 - 8 Years	55	*
9 - 11 Years	4,713	8.9	9 - 11 Years	39	*
12 - 14 Years - Girls	2,350	8.2	12 - 14 Years - Girls	21	*
12 - 14 Years - Boys	2,406	11.8	12 - 14 Years - Boys	22	*
15 - 19 Years - Girls	2,420	13.7	15 - 19 Years - Girls	18	*
15 - 19 Years - Boys	2,088	18.8	15 - 19 Years - Boys	18	*
<b>Total</b>	<b>23,057</b>	<b>11.2</b>	<b>Total</b>	<b>173</b>	<b>6.4</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	13	*	5 - 8 Years	615	11.4
9 - 11 Years	5	*	9 - 11 Years	300	14.3
12 - 14 Years - Girls	3	*	12 - 14 Years - Girls	147	8.2
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	151	15.2
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	181	17.7
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	160	23.1
<b>Total</b>	<b>29</b>	<b>*</b>	<b>Total</b>	<b>1,554</b>	<b>14.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Orange**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 030**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups		
5 - 8 Years	11,092	11.2
9 - 11 Years	5,908	9.7
12 - 14 Years - Girls	3,052	7.9
12 - 14 Years - Boys	3,082	12.3
15 - 19 Years - Girls	3,234	13.9
15 - 19 Years - Boys	2,795	18.4
<b>Total</b>	<b>29,163</b>	<b>11.6</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Pasadena**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 063**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	18	*		5 - 8 Years	10	*
9 - 11 Years	7	*		9 - 11 Years	6	*
12 - 14 Years - Girls	4	*		12 - 14 Years - Girls	3	*
12 - 14 Years - Boys	2	*		12 - 14 Years - Boys	3	*
15 - 19 Years - Girls	7	*		15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	1	*		15 - 19 Years - Boys	4	*
Total	39	*		Total	27	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	47	*	5 - 8 Years	0	*	
9 - 11 Years	45	*	9 - 11 Years	0	*	
12 - 14 Years - Girls	24	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	9	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	25	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	14	*	15 - 19 Years - Boys	1	*	
Total	164	7.9	Total	1	*	
Hispanic			Filipino			
5 - 8 Years	169	5.9	5 - 8 Years	3	*	
9 - 11 Years	96	*	9 - 11 Years	2	*	
12 - 14 Years - Girls	49	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	37	*	12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	59	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	46	*	15 - 19 Years - Boys	1	*	
Total	456	3.7	Total	7	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	0	*	5 - 8 Years	28	*	
9 - 11 Years	0	*	9 - 11 Years	11	*	
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	10	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	9	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	7	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	9	*	
Total	0	*	Total	74	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Pasadena**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 063**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups		
5 - 8 Years	275	6.2
9 - 11 Years	167	2.4
12 - 14 Years - Girls	90	*
12 - 14 Years - Boys	61	*
15 - 19 Years - Girls	99	*
15 - 19 Years - Boys	76	*
<b>Total</b>	<b>768</b>	<b>5.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Placer**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 031**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	90	*		5 - 8 Years	7	*
9 - 11 Years	29	*		9 - 11 Years	4	*
12 - 14 Years - Girls	17	*		12 - 14 Years - Girls	3	*
12 - 14 Years - Boys	13	*		12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	28	*		15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	21	*		15 - 19 Years - Boys	1	*
Total	198	14.1		Total	20	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	2	*	5 - 8 Years	0	*	
9 - 11 Years	0	*	9 - 11 Years	0	*	
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	0	*	
Total	8	*	Total	1	*	
Hispanic			Filipino			
5 - 8 Years	109	11.0	5 - 8 Years	0	*	
9 - 11 Years	33	*	9 - 11 Years	0	*	
12 - 14 Years - Girls	17	*	12 - 14 Years - Girls	1	*	
12 - 14 Years - Boys	12	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	23	*	15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	14	*	15 - 19 Years - Boys	0	*	
Total	208	9.6	Total	2	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	0	*	5 - 8 Years	105	15.2	
9 - 11 Years	0	*	9 - 11 Years	66	*	
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	27	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	37	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	32	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	19	*	
Total	0	*	Total	286	15.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Placer**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 031**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	313	14.1			
9 - 11 Years	132	13.6			
12 - 14 Years - Girls	66	*			
12 - 14 Years - Boys	65	*			
15 - 19 Years - Girls	88	*			
15 - 19 Years - Boys	59	*			
<b>Total</b>	<b>723</b>	<b>13.3</b>			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Plumas**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 032**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	10	*	5 - 8 Years	0	*
9 - 11 Years	7	*	9 - 11 Years	0	*
12 - 14 Years - Girls	6	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	6	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>37</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>7</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	10	*	5 - 8 Years	0	*
9 - 11 Years	5	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	7	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>27</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	1	*	5 - 8 Years	3	*
9 - 11 Years	0	*	9 - 11 Years	5	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>4</b>	<b>*</b>	<b>Total</b>	<b>12</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Plumas**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 032**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	24	*			
9 - 11 Years	18	*			
12 - 14 Years - Girls	11	*			
12 - 14 Years - Boys	9	*			
15 - 19 Years - Girls	11	*			
15 - 19 Years - Boys	14	*			
Total	87	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Riverside**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 033**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	316	10.8	5 - 8 Years	53	*
9 - 11 Years	133	12.0	9 - 11 Years	14	*
12 - 14 Years - Girls	96	*	12 - 14 Years - Girls	6	*
12 - 14 Years - Boys	103	9.7	12 - 14 Years - Boys	14	*
15 - 19 Years - Girls	123	13.0	15 - 19 Years - Girls	8	*
15 - 19 Years - Boys	103	12.6	15 - 19 Years - Boys	8	*
<b>Total</b>	<b>874</b>	<b>11.4</b>	<b>Total</b>	<b>103</b>	<b>9.7</b>
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	227	25.1	5 - 8 Years	8	*
9 - 11 Years	109	23.9	9 - 11 Years	4	*
12 - 14 Years - Girls	81	*	12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	71	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	94	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	93	*	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>675</b>	<b>23.3</b>	<b>Total</b>	<b>17</b>	<b>*</b>
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	3,987	12.9	5 - 8 Years	6	*
9 - 11 Years	1,972	10.0	9 - 11 Years	1	*
12 - 14 Years - Girls	1,125	9.0	12 - 14 Years - Girls	4	*
12 - 14 Years - Boys	1,037	13.0	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	1,108	14.5	15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	998	11.0	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>10,227</b>	<b>11.9</b>	<b>Total</b>	<b>17</b>	<b>*</b>
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	4	*	5 - 8 Years	287	15.0
9 - 11 Years	2	*	9 - 11 Years	137	5.1
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	76	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	81	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	69	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	71	*
<b>Total</b>	<b>8</b>	<b>*</b>	<b>Total</b>	<b>721</b>	<b>13.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Riverside**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 033**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	4,888	13.5			
9 - 11 Years	2,372	10.5			
12 - 14 Years - Girls	1,390	10.4			
12 - 14 Years - Boys	1,308	13.1			
15 - 19 Years - Girls	1,408	15.1			
15 - 19 Years - Boys	1,276	12.1			
Total	12,642	12.6			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance (1)**  
**Sacramento**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years (2)**

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 034**

<b>Anemia Indicators by Race/Ethnicity and Age (3, 4)</b>					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	426	22.1	5 - 8 Years	512	20.9
9 - 11 Years	241	16.2	9 - 11 Years	296	12.8
12 - 14 Years - Girls	117	17.9	12 - 14 Years - Girls	218	13.3
12 - 14 Years - Boys	141	27.7	12 - 14 Years - Boys	190	21.1
15 - 19 Years - Girls	176	18.2	15 - 19 Years - Girls	355	20.0
15 - 19 Years - Boys	170	12.9	15 - 19 Years - Boys	257	19.1
<b>Total</b>	<b>1,271</b>	<b>19.4</b>	<b>Total</b>	<b>1,828</b>	<b>18.3</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	669	21.8	5 - 8 Years	14	*
9 - 11 Years	378	29.9	9 - 11 Years	7	*
12 - 14 Years - Girls	197	18.8	12 - 14 Years - Girls	6	*
12 - 14 Years - Boys	221	29.0	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	241	32.0	15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	222	29.3	15 - 19 Years - Boys	6	*
<b>Total</b>	<b>1,928</b>	<b>26.0</b>	<b>Total</b>	<b>38</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	1,814	15.8	5 - 8 Years	16	*
9 - 11 Years	698	15.0	9 - 11 Years	6	*
12 - 14 Years - Girls	258	14.0	12 - 14 Years - Girls	3	*
12 - 14 Years - Boys	281	19.9	12 - 14 Years - Boys	5	*
15 - 19 Years - Girls	263	16.7	15 - 19 Years - Girls	6	*
15 - 19 Years - Boys	206	15.5	15 - 19 Years - Boys	6	*
<b>Total</b>	<b>3,520</b>	<b>15.9</b>	<b>Total</b>	<b>42</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	44	*	5 - 8 Years	2,056	20.4
9 - 11 Years	15	*	9 - 11 Years	1,084	19.1
12 - 14 Years - Girls	6	*	12 - 14 Years - Girls	536	15.1
12 - 14 Years - Boys	5	*	12 - 14 Years - Boys	564	22.0
15 - 19 Years - Girls	6	*	15 - 19 Years - Girls	657	21.5
15 - 19 Years - Boys	8	*	15 - 19 Years - Boys	570	19.5
<b>Total</b>	<b>84</b>	<b>*</b>	<b>Total</b>	<b>5,467</b>	<b>19.8</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Sacramento**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 034**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	5,551	19.2	
9 - 11 Years	2,725	18.6	
12 - 14 Years - Girls	1,341	15.3	
12 - 14 Years - Boys	1,409	23.0	
15 - 19 Years - Girls	1,707	21.5	
15 - 19 Years - Boys	1,445	19.7	
<b>Total</b>	<b>14,178</b>	<b>19.4</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Benito**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 035**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %		
White, Not Hispanic				Asian		
5 - 8 Years	11	*		5 - 8 Years	0	*
9 - 11 Years	5	*		9 - 11 Years	0	*
12 - 14 Years - Girls	10	*		12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	3	*		12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	6	*		15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	6	*		15 - 19 Years - Boys	0	*
Total	41	*		Total	4	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	2	*		5 - 8 Years	0	*
9 - 11 Years	2	*		9 - 11 Years	2	*
12 - 14 Years - Girls	2	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*		15 - 19 Years - Boys	0	*
Total	9	*		Total	2	*
Hispanic				Filipino		
5 - 8 Years	171	21.6		5 - 8 Years	1	*
9 - 11 Years	91	*		9 - 11 Years	0	*
12 - 14 Years - Girls	48	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	46	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	31	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	35	*	15 - 19 Years - Boys	0	*	
Total	422	18.5	Total	1	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	0	*	5 - 8 Years	27	*	
9 - 11 Years	1	*	9 - 11 Years	10	*	
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	3	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	2	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	2	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	8	*	
Total	1	*	Total	52	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Benito**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 035**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	212	20.3	
9 - 11 Years	111	18.0	
12 - 14 Years - Girls	65	*	
12 - 14 Years - Boys	54	*	
15 - 19 Years - Girls	41	*	
15 - 19 Years - Boys	49	*	
<b>Total</b>	<b>532</b>	<b>16.9</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Bernardino**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 036**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	322	16.1	5 - 8 Years	58	*
9 - 11 Years	111	9.9	9 - 11 Years	30	*
12 - 14 Years - Girls	88	*	12 - 14 Years - Girls	14	*
12 - 14 Years - Boys	85	*	12 - 14 Years - Boys	15	*
15 - 19 Years - Girls	88	*	15 - 19 Years - Girls	13	*
15 - 19 Years - Boys	86	*	15 - 19 Years - Boys	24	*
<b>Total</b>	<b>780</b>	<b>15.8</b>	<b>Total</b>	<b>154</b>	<b>9.7</b>
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	335	23.3	5 - 8 Years	7	*
9 - 11 Years	157	28.7	9 - 11 Years	4	*
12 - 14 Years - Girls	88	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	98	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	117	29.1	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	115	25.2	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>910</b>	<b>25.4</b>	<b>Total</b>	<b>14</b>	<b>*</b>
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	5,081	12.8	5 - 8 Years	8	*
9 - 11 Years	2,859	10.2	9 - 11 Years	8	*
12 - 14 Years - Girls	1,549	6.8	12 - 14 Years - Girls	5	*
12 - 14 Years - Boys	1,313	12.5	12 - 14 Years - Boys	5	*
15 - 19 Years - Girls	1,559	12.8	15 - 19 Years - Girls	5	*
15 - 19 Years - Boys	1,415	12.3	15 - 19 Years - Boys	3	*
<b>Total</b>	<b>13,776</b>	<b>11.5</b>	<b>Total</b>	<b>34</b>	<b>*</b>
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	1	*	5 - 8 Years	819	14.5
9 - 11 Years	4	*	9 - 11 Years	453	11.0
12 - 14 Years - Girls	3	*	12 - 14 Years - Girls	221	6.3
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	224	13.4
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	235	15.7
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	211	11.4
<b>Total</b>	<b>10</b>	<b>*</b>	<b>Total</b>	<b>2,163</b>	<b>12.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Bernardino**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 036**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	6,631	13.7	
9 - 11 Years	3,626	11.1	
12 - 14 Years - Girls	1,969	7.9	
12 - 14 Years - Boys	1,742	13.5	
15 - 19 Years - Girls	2,018	14.4	
15 - 19 Years - Boys	1,855	13.4	
<b>Total</b>	<b>17,841</b>	<b>12.6</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Diego**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 037**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	1,638	11.1	5 - 8 Years	187	13.4
9 - 11 Years	798	8.9	9 - 11 Years	116	6.9
12 - 14 Years - Girls	378	5.6	12 - 14 Years - Girls	79	*
12 - 14 Years - Boys	374	11.5	12 - 14 Years - Boys	64	*
15 - 19 Years - Girls	343	12.5	15 - 19 Years - Girls	84	*
15 - 19 Years - Boys	284	7.7	15 - 19 Years - Boys	42	*
<b>Total</b>	<b>3,815</b>	<b>10.0</b>	<b>Total</b>	<b>572</b>	<b>12.8</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	479	21.5	5 - 8 Years	38	*
9 - 11 Years	241	15.4	9 - 11 Years	15	*
12 - 14 Years - Girls	147	8.8	12 - 14 Years - Girls	6	*
12 - 14 Years - Boys	157	26.8	12 - 14 Years - Boys	10	*
15 - 19 Years - Girls	141	19.1	15 - 19 Years - Girls	8	*
15 - 19 Years - Boys	125	24.8	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>1,290</b>	<b>19.6</b>	<b>Total</b>	<b>78</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	7,735	10.2	5 - 8 Years	118	16.9
9 - 11 Years	3,634	8.3	9 - 11 Years	71	*
12 - 14 Years - Girls	1,859	7.8	12 - 14 Years - Girls	39	*
12 - 14 Years - Boys	1,808	11.6	12 - 14 Years - Boys	34	*
15 - 19 Years - Girls	1,756	11.2	15 - 19 Years - Girls	45	*
15 - 19 Years - Boys	1,560	10.4	15 - 19 Years - Boys	28	*
<b>Total</b>	<b>18,352</b>	<b>9.8</b>	<b>Total</b>	<b>335</b>	<b>10.7</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	12	*	5 - 8 Years	2,144	14.8
9 - 11 Years	6	*	9 - 11 Years	851	12.0
12 - 14 Years - Girls	6	*	12 - 14 Years - Girls	417	10.3
12 - 14 Years - Boys	12	*	12 - 14 Years - Boys	391	22.5
15 - 19 Years - Girls	7	*	15 - 19 Years - Girls	413	14.0
15 - 19 Years - Boys	5	*	15 - 19 Years - Boys	310	23.9
<b>Total</b>	<b>48</b>	<b>*</b>	<b>Total</b>	<b>4,526</b>	<b>15.1</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Diego**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 037**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	12,351	11.7	
9 - 11 Years	5,732	9.2	
12 - 14 Years - Girls	2,931	7.9	
12 - 14 Years - Boys	2,850	14.0	
15 - 19 Years - Girls	2,797	12.1	
15 - 19 Years - Boys	2,355	12.8	
<b>Total</b>	<b>29,016</b>	<b>11.2</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Francisco**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 038**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	8	*		5 - 8 Years	406	17.2
9 - 11 Years	6	*		9 - 11 Years	330	15.8
12 - 14 Years - Girls	4	*		12 - 14 Years - Girls	183	10.4
12 - 14 Years - Boys	1	*		12 - 14 Years - Boys	163	14.1
15 - 19 Years - Girls	1	*		15 - 19 Years - Girls	229	17.0
15 - 19 Years - Boys	6	*		15 - 19 Years - Boys	165	26.1
<b>Total</b>	<b>26</b>	<b>*</b>		<b>Total</b>	<b>1,476</b>	<b>16.7</b>
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	37	*	5 - 8 Years	9	*	
9 - 11 Years	20	*	9 - 11 Years	4	*	
12 - 14 Years - Girls	15	*	12 - 14 Years - Girls	2	*	
12 - 14 Years - Boys	12	*	12 - 14 Years - Boys	2	*	
15 - 19 Years - Girls	10	*	15 - 19 Years - Girls	2	*	
15 - 19 Years - Boys	7	*	15 - 19 Years - Boys	2	*	
<b>Total</b>	<b>101</b>	<b>44.6</b>	<b>Total</b>	<b>21</b>	<b>*</b>	
Hispanic			Filipino			
5 - 8 Years	134	14.9	5 - 8 Years	10	*	
9 - 11 Years	73	*	9 - 11 Years	6	*	
12 - 14 Years - Girls	40	*	12 - 14 Years - Girls	3	*	
12 - 14 Years - Boys	38	*	12 - 14 Years - Boys	3	*	
15 - 19 Years - Girls	25	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	39	*	15 - 19 Years - Boys	4	*	
<b>Total</b>	<b>349</b>	<b>10.9</b>	<b>Total</b>	<b>26</b>	<b>*</b>	
American Indian/Alaskan Native			All Other			
5 - 8 Years	0	*	5 - 8 Years	47	*	
9 - 11 Years	0	*	9 - 11 Years	33	*	
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	18	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	26	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	11	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	18	*	
<b>Total</b>	<b>0</b>	<b>*</b>	<b>Total</b>	<b>153</b>	<b>14.4</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Francisco**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 038**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	651	17.5	
9 - 11 Years	472	15.5	
12 - 14 Years - Girls	265	12.8	
12 - 14 Years - Boys	245	13.9	
15 - 19 Years - Girls	278	17.6	
15 - 19 Years - Boys	241	21.6	
<b>Total</b>	<b>2,152</b>	<b>16.5</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Joaquin**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 039**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	293	9.2	5 - 8 Years	139	10.8
9 - 11 Years	132	12.1	9 - 11 Years	58	*
12 - 14 Years - Girls	84	*	12 - 14 Years - Girls	61	*
12 - 14 Years - Boys	74	*	12 - 14 Years - Boys	77	*
15 - 19 Years - Girls	84	*	15 - 19 Years - Girls	156	12.8
15 - 19 Years - Boys	72	*	15 - 19 Years - Boys	128	47.7
<b>Total</b>	<b>739</b>	<b>12.0</b>	<b>Total</b>	<b>619</b>	<b>20.7</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	122	14.8	5 - 8 Years	19	*
9 - 11 Years	67	*	9 - 11 Years	8	*
12 - 14 Years - Girls	43	*	12 - 14 Years - Girls	4	*
12 - 14 Years - Boys	41	*	12 - 14 Years - Boys	7	*
15 - 19 Years - Girls	52	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	45	*	15 - 19 Years - Boys	4	*
<b>Total</b>	<b>370</b>	<b>22.4</b>	<b>Total</b>	<b>42</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	1,729	16.1	5 - 8 Years	23	*
9 - 11 Years	748	13.5	9 - 11 Years	7	*
12 - 14 Years - Girls	401	14.5	12 - 14 Years - Girls	5	*
12 - 14 Years - Boys	393	14.2	12 - 14 Years - Boys	7	*
15 - 19 Years - Girls	440	19.5	15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	307	12.1	15 - 19 Years - Boys	4	*
<b>Total</b>	<b>4,018</b>	<b>15.3</b>	<b>Total</b>	<b>49</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	3	*	5 - 8 Years	798	12.3
9 - 11 Years	2	*	9 - 11 Years	402	12.9
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	211	10.0
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	225	21.3
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	223	13.5
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	166	30.7
<b>Total</b>	<b>10</b>	<b>*</b>	<b>Total</b>	<b>2,025</b>	<b>14.8</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Joaquin**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 039**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	3,126	14.1			
9 - 11 Years	1,424	14.4			
12 - 14 Years - Girls	809	13.0			
12 - 14 Years - Boys	826	17.2			
15 - 19 Years - Girls	959	17.0			
15 - 19 Years - Boys	728	24.0			
Total	7,872	15.7			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Luis Obispo**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 040**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	181	19.9	5 - 8 Years	4	*
9 - 11 Years	67	*	9 - 11 Years	1	*
12 - 14 Years - Girls	37	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	52	*	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	30	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	31	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>398</b>	<b>16.6</b>	<b>Total</b>	<b>10</b>	<b>*</b>
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	13	*	5 - 8 Years	1	*
9 - 11 Years	4	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>27</b>	<b>*</b>	<b>Total</b>	<b>2</b>	<b>*</b>
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	327	15.3	5 - 8 Years	1	*
9 - 11 Years	145	11.7	9 - 11 Years	1	*
12 - 14 Years - Girls	82	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	77	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	81	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	64	*	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>776</b>	<b>12.9</b>	<b>Total</b>	<b>4</b>	<b>*</b>
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	0	*	5 - 8 Years	49	*
9 - 11 Years	0	*	9 - 11 Years	40	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	19	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	16	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	11	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	11	*
<b>Total</b>	<b>0</b>	<b>*</b>	<b>Total</b>	<b>146</b>	<b>18.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Luis Obispo**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 040**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	576	18.1			
9 - 11 Years	258	13.2			
12 - 14 Years - Girls	139	10.8			
12 - 14 Years - Boys	150	14.0			
15 - 19 Years - Girls	126	11.9			
15 - 19 Years - Boys	114	13.2			
Total	1,363	15.0			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Mateo**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 041**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	9	*	5 - 8 Years	17	*
9 - 11 Years	6	*	9 - 11 Years	8	*
12 - 14 Years - Girls	5	*	12 - 14 Years - Girls	4	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	6	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	3	*
<b>Total</b>	<b>29</b>	*	<b>Total</b>	<b>33</b>	*
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	26	*	5 - 8 Years	13	*
9 - 11 Years	14	*	9 - 11 Years	7	*
12 - 14 Years - Girls	8	*	12 - 14 Years - Girls	5	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	8	*	15 - 19 Years - Girls	8	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>59</b>	*	<b>Total</b>	<b>35</b>	*
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	492	6.3	5 - 8 Years	7	*
9 - 11 Years	158	4.4	9 - 11 Years	1	*
12 - 14 Years - Girls	92	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	51	*	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	80	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	32	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>905</b>	<b>6.9</b>	<b>Total</b>	<b>12</b>	*
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	1	*	5 - 8 Years	302	18.5
9 - 11 Years	0	*	9 - 11 Years	140	15.7
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	76	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	62	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	87	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	49	*
<b>Total</b>	<b>1</b>	*	<b>Total</b>	<b>716</b>	<b>17.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**San Mateo**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 041**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	867	11.1	
9 - 11 Years	334	9.6	
12 - 14 Years - Girls	191	13.1	
12 - 14 Years - Boys	118	11.9	
15 - 19 Years - Girls	191	15.7	
15 - 19 Years - Boys	89	*	
<b>Total</b>	<b>1,790</b>	<b>11.5</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Santa Barbara**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 042**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	95	*	5 - 8 Years	11	*
9 - 11 Years	51	*	9 - 11 Years	6	*
12 - 14 Years - Girls	24	*	12 - 14 Years - Girls	5	*
12 - 14 Years - Boys	29	*	12 - 14 Years - Boys	3	*
15 - 19 Years - Girls	34	*	15 - 19 Years - Girls	7	*
15 - 19 Years - Boys	29	*	15 - 19 Years - Boys	4	*
<b>Total</b>	<b>262</b>	<b>10.7</b>	<b>Total</b>	<b>36</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	22	*	5 - 8 Years	1	*
9 - 11 Years	17	*	9 - 11 Years	1	*
12 - 14 Years - Girls	8	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	7	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	8	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	13	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>75</b>	<b>*</b>	<b>Total</b>	<b>2</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	1,638	12.9	5 - 8 Years	4	*
9 - 11 Years	850	10.4	9 - 11 Years	3	*
12 - 14 Years - Girls	330	8.5	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	396	10.4	12 - 14 Years - Boys	3	*
15 - 19 Years - Girls	288	13.2	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	272	13.2	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>3,774</b>	<b>11.7</b>	<b>Total</b>	<b>10</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	5	*	5 - 8 Years	322	18.3
9 - 11 Years	3	*	9 - 11 Years	141	17.0
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	63	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	69	*
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	39	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	53	*
<b>Total</b>	<b>15</b>	<b>*</b>	<b>Total</b>	<b>687</b>	<b>17.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Santa Barbara**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 042**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct Number %		
Total All Race/Ethnic Groups			
5 - 8 Years	2,098	13.9	
9 - 11 Years	1,072	11.0	
12 - 14 Years - Girls	432	8.8	
12 - 14 Years - Boys	509	10.8	
15 - 19 Years - Girls	378	14.6	
15 - 19 Years - Boys	372	16.1	
<b>Total</b>	<b>4,861</b>	<b>12.7</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Santa Clara**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 043**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	72	*		5 - 8 Years	271	18.5
9 - 11 Years	44	*		9 - 11 Years	167	18.6
12 - 14 Years - Girls	21	*		12 - 14 Years - Girls	122	12.3
12 - 14 Years - Boys	20	*		12 - 14 Years - Boys	105	11.4
15 - 19 Years - Girls	28	*		15 - 19 Years - Girls	197	13.7
15 - 19 Years - Boys	27	*		15 - 19 Years - Boys	164	15.9
<b>Total</b>	<b>212</b>	<b>11.3</b>		<b>Total</b>	<b>1,026</b>	<b>15.7</b>
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	30	*	5 - 8 Years	12	*	
9 - 11 Years	30	*	9 - 11 Years	7	*	
12 - 14 Years - Girls	9	*	12 - 14 Years - Girls	1	*	
12 - 14 Years - Boys	18	*	12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	12	*	15 - 19 Years - Girls	4	*	
15 - 19 Years - Boys	21	*	15 - 19 Years - Boys	2	*	
<b>Total</b>	<b>120</b>	<b>26.7</b>	<b>Total</b>	<b>27</b>	<b>*</b>	
Hispanic			Filipino			
5 - 8 Years	1,950	9.4	5 - 8 Years	13	*	
9 - 11 Years	776	11.5	9 - 11 Years	9	*	
12 - 14 Years - Girls	382	10.7	12 - 14 Years - Girls	5	*	
12 - 14 Years - Boys	335	13.7	12 - 14 Years - Boys	5	*	
15 - 19 Years - Girls	328	12.2	15 - 19 Years - Girls	3	*	
15 - 19 Years - Boys	272	10.3	15 - 19 Years - Boys	8	*	
<b>Total</b>	<b>4,043</b>	<b>10.6</b>	<b>Total</b>	<b>43</b>	<b>*</b>	
American Indian/Alaskan Native			All Other			
5 - 8 Years	10	*	5 - 8 Years	591	12.5	
9 - 11 Years	14	*	9 - 11 Years	297	14.1	
12 - 14 Years - Girls	6	*	12 - 14 Years - Girls	143	10.5	
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	151	17.2	
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	152	15.8	
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	136	25.7	
<b>Total</b>	<b>39</b>	<b>*</b>	<b>Total</b>	<b>1,470</b>	<b>14.7</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Santa Clara**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 043**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	2,949	11.2			
9 - 11 Years	1,344	12.9			
12 - 14 Years - Girls	689	10.9			
12 - 14 Years - Boys	637	14.1			
15 - 19 Years - Girls	729	14.3			
15 - 19 Years - Boys	632	16.3			
Total	6,980	12.5			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Santa Cruz**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 044**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	13	*		5 - 8 Years	1	*
9 - 11 Years	5	*		9 - 11 Years	1	*
12 - 14 Years - Girls	0	*		12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	1	*		12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	2	*		15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	2	*		15 - 19 Years - Boys	0	*
Total	23	*		Total	7	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	0	*	5 - 8 Years	1	*	
9 - 11 Years	2	*	9 - 11 Years	0	*	
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	0	*	
Total	7	*	Total	1	*	
Hispanic			Filipino			
5 - 8 Years	298	14.4	5 - 8 Years	1	*	
9 - 11 Years	147	11.6	9 - 11 Years	0	*	
12 - 14 Years - Girls	61	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	53	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	60	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	66	*	15 - 19 Years - Boys	0	*	
Total	685	13.0	Total	1	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	1	*	5 - 8 Years	75	*	
9 - 11 Years	0	*	9 - 11 Years	49	*	
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	24	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	10	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	17	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	13	*	
Total	1	*	Total	188	8.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Santa Cruz**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 044**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	390	13.8	
9 - 11 Years	204	9.8	
12 - 14 Years - Girls	88	*	
12 - 14 Years - Boys	66	*	
15 - 19 Years - Girls	81	*	
15 - 19 Years - Boys	84	*	
<b>Total</b>	<b>913</b>	<b>11.9</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Shasta**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 045**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian	
5 - 8 Years	338	13.3		5 - 8 Years	16 *
9 - 11 Years	128	14.8		9 - 11 Years	3 *
12 - 14 Years - Girls	80	*		12 - 14 Years - Girls	3 *
12 - 14 Years - Boys	82	*		12 - 14 Years - Boys	2 *
15 - 19 Years - Girls	76	*		15 - 19 Years - Girls	2 *
15 - 19 Years - Boys	81	*		15 - 19 Years - Boys	4 *
Total	785	13.4		Total	30 *
Black, Not Hispanic				Pacific Islander	
5 - 8 Years	17	*		5 - 8 Years	0 *
9 - 11 Years	9	*		9 - 11 Years	0 *
12 - 14 Years - Girls	10	*		12 - 14 Years - Girls	0 *
12 - 14 Years - Boys	4	*		12 - 14 Years - Boys	0 *
15 - 19 Years - Girls	9	*		15 - 19 Years - Girls	0 *
15 - 19 Years - Boys	10	*		15 - 19 Years - Boys	0 *
Total	59	*		Total	0 *
Hispanic				Filipino	
5 - 8 Years	47	*		5 - 8 Years	1 *
9 - 11 Years	26	*		9 - 11 Years	3 *
12 - 14 Years - Girls	13	*		12 - 14 Years - Girls	0 *
12 - 14 Years - Boys	9	*	12 - 14 Years - Boys	0 *	
15 - 19 Years - Girls	13	*	15 - 19 Years - Girls	1 *	
15 - 19 Years - Boys	9	*	15 - 19 Years - Boys	1 *	
Total	117	12.0	Total	6 *	
American Indian/Alaskan Native			All Other		
5 - 8 Years	40	*	5 - 8 Years	74 *	
9 - 11 Years	13	*	9 - 11 Years	33 *	
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	22 *	
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	12 *	
15 - 19 Years - Girls	4	*	15 - 19 Years - Girls	14 *	
15 - 19 Years - Boys	10	*	15 - 19 Years - Boys	23 *	
Total	72	*	Total	178 9.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Shasta**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 045**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	533	14.4			
9 - 11 Years	215	14.0			
12 - 14 Years - Girls	130	8.5			
12 - 14 Years - Boys	112	12.5			
15 - 19 Years - Girls	119	17.6			
15 - 19 Years - Boys	138	15.2			
Total	1,247	14.0			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Sierra**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 046**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	3	*	5 - 8 Years	0	*
9 - 11 Years	5	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	6	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>22</b>	*	<b>Total</b>	<b>1</b>	*
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>1</b>	*	<b>Total</b>	<b>0</b>	*
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	2	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>4</b>	*	<b>Total</b>	<b>0</b>	*
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	0	*	5 - 8 Years	1	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>0</b>	*	<b>Total</b>	<b>1</b>	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Sierra**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 046**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	4	*			
9 - 11 Years	7	*			
12 - 14 Years - Girls	3	*			
12 - 14 Years - Boys	5	*			
15 - 19 Years - Girls	4	*			
15 - 19 Years - Boys	6	*			
Total	29	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Siskiyou**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 047**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	81	*	5 - 8 Years	0	*
9 - 11 Years	59	*	9 - 11 Years	1	*
12 - 14 Years - Girls	24	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	23	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	25	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	29	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>241</b>	<b>13.7</b>	<b>Total</b>	<b>2</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	4	*	5 - 8 Years	0	*
9 - 11 Years	2	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>13</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	20	*	5 - 8 Years	0	*
9 - 11 Years	12	*	9 - 11 Years	0	*
12 - 14 Years - Girls	12	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	7	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	9	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	13	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>73</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	4	*	5 - 8 Years	74	*
9 - 11 Years	4	*	9 - 11 Years	38	*
12 - 14 Years - Girls	4	*	12 - 14 Years - Girls	19	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	14	*
15 - 19 Years - Girls	3	*	15 - 19 Years - Girls	11	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	18	*
<b>Total</b>	<b>17</b>	<b>*</b>	<b>Total</b>	<b>174</b>	<b>17.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Siskiyou**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 047**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	183	15.3			
9 - 11 Years	116	12.9			
12 - 14 Years - Girls	61	*			
12 - 14 Years - Boys	47	*			
15 - 19 Years - Girls	48	*			
15 - 19 Years - Boys	65	*			
<b>Total</b>	<b>520</b>	<b>15.2</b>			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Solano**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 048**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	60	*		5 - 8 Years	17	*
9 - 11 Years	29	*		9 - 11 Years	14	*
12 - 14 Years - Girls	15	*		12 - 14 Years - Girls	6	*
12 - 14 Years - Boys	14	*		12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	9	*		15 - 19 Years - Girls	5	*
15 - 19 Years - Boys	17	*		15 - 19 Years - Boys	2	*
Total	144	13.9		Total	46	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	83	*	5 - 8 Years	3	*	
9 - 11 Years	61	*	9 - 11 Years	0	*	
12 - 14 Years - Girls	41	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	27	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	31	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	27	*	15 - 19 Years - Boys	1	*	
Total	270	23.0	Total	4	*	
Hispanic			Filipino			
5 - 8 Years	245	7.8	5 - 8 Years	22	*	
9 - 11 Years	116	19.8	9 - 11 Years	11	*	
12 - 14 Years - Girls	44	*	12 - 14 Years - Girls	6	*	
12 - 14 Years - Boys	57	*	12 - 14 Years - Boys	5	*	
15 - 19 Years - Girls	37	*	15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	22	*	15 - 19 Years - Boys	3	*	
Total	521	11.9	Total	48	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	1	*	5 - 8 Years	96	*	
9 - 11 Years	1	*	9 - 11 Years	30	*	
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	21	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	22	*	
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	19	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	18	*	
Total	4	*	Total	206	13.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Solano**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 048**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	527	11.8			
9 - 11 Years	262	16.4			
12 - 14 Years - Girls	134	18.7			
12 - 14 Years - Boys	127	18.1			
15 - 19 Years - Girls	103	21.4			
15 - 19 Years - Boys	90	*			
Total	1,243	15.0			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Sonoma**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 049**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	37	*		5 - 8 Years	2	*
9 - 11 Years	23	*		9 - 11 Years	1	*
12 - 14 Years - Girls	13	*		12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	8	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	20	*		15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	13	*		15 - 19 Years - Boys	1	*
Total	114	11.4		Total	8	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	2	*	5 - 8 Years	1	*	
9 - 11 Years	0	*	9 - 11 Years	0	*	
12 - 14 Years - Girls	4	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	0	*	
Total	12	*	Total	1	*	
Hispanic			Filipino			
5 - 8 Years	230	20.4	5 - 8 Years	1	*	
9 - 11 Years	129	24.0	9 - 11 Years	0	*	
12 - 14 Years - Girls	73	*	12 - 14 Years - Girls	1	*	
12 - 14 Years - Boys	44	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	83	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	50	*	15 - 19 Years - Boys	0	*	
Total	609	17.4	Total	2	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	7	*	5 - 8 Years	32	*	
9 - 11 Years	2	*	9 - 11 Years	13	*	
12 - 14 Years - Girls	3	*	12 - 14 Years - Girls	10	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	4	*	
15 - 19 Years - Girls	5	*	15 - 19 Years - Girls	3	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	5	*	
Total	17	*	Total	67	*	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Sonoma**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 049**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	312	20.2			
9 - 11 Years	168	20.8			
12 - 14 Years - Girls	106	10.4			
12 - 14 Years - Boys	58	*			
15 - 19 Years - Girls	114	14.0			
15 - 19 Years - Boys	72	*			
<b>Total</b>	<b>830</b>	<b>16.5</b>			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Stanislaus**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 050**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	753	17.5	5 - 8 Years	64	*
9 - 11 Years	336	18.2	9 - 11 Years	43	*
12 - 14 Years - Girls	179	8.4	12 - 14 Years - Girls	30	*
12 - 14 Years - Boys	187	17.6	12 - 14 Years - Boys	16	*
15 - 19 Years - Girls	175	17.7	15 - 19 Years - Girls	62	*
15 - 19 Years - Boys	155	21.9	15 - 19 Years - Boys	31	*
<b>Total</b>	<b>1,785</b>	<b>17.1</b>	<b>Total</b>	<b>246</b>	<b>14.6</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	131	30.5	5 - 8 Years	8	*
9 - 11 Years	78	*	9 - 11 Years	4	*
12 - 14 Years - Girls	38	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	35	*	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	31	*	15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	54	*	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>367</b>	<b>34.1</b>	<b>Total</b>	<b>20</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	2,603	17.8	5 - 8 Years	3	*
9 - 11 Years	1,019	17.3	9 - 11 Years	1	*
12 - 14 Years - Girls	412	14.1	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	475	15.8	12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	397	21.4	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	354	14.7	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>5,260</b>	<b>17.3</b>	<b>Total</b>	<b>9</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	7	*	5 - 8 Years	339	23.3
9 - 11 Years	2	*	9 - 11 Years	173	23.1
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	97	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	89	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	62	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	79	*
<b>Total</b>	<b>13</b>	<b>*</b>	<b>Total</b>	<b>839</b>	<b>21.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Stanislaus**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 050**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	3,908	18.6			
9 - 11 Years	1,656	18.8			
12 - 14 Years - Girls	759	13.0			
12 - 14 Years - Boys	807	17.7			
15 - 19 Years - Girls	732	20.4			
15 - 19 Years - Boys	677	18.8			
Total	8,539	18.2			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Sutter**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 051**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	116	16.4	5 - 8 Years	13	*
9 - 11 Years	49	*	9 - 11 Years	5	*
12 - 14 Years - Girls	17	*	12 - 14 Years - Girls	4	*
12 - 14 Years - Boys	14	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	16	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	9	*	15 - 19 Years - Boys	2	*
<b>Total</b>	<b>221</b>	<b>16.3</b>	<b>Total</b>	<b>25</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	10	*	5 - 8 Years	0	*
9 - 11 Years	1	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>15</b>	<b>*</b>	<b>Total</b>	<b>0</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	169	13.6	5 - 8 Years	0	*
9 - 11 Years	75	*	9 - 11 Years	1	*
12 - 14 Years - Girls	40	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	24	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	30	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	15	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>353</b>	<b>15.3</b>	<b>Total</b>	<b>2</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	4	*	5 - 8 Years	70	*
9 - 11 Years	0	*	9 - 11 Years	35	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	11	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	12	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	12	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	9	*
<b>Total</b>	<b>5</b>	<b>*</b>	<b>Total</b>	<b>149</b>	<b>29.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Sutter**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 051**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	382	16.5			
9 - 11 Years	166	15.7			
12 - 14 Years - Girls	75	*			
12 - 14 Years - Boys	50	*			
15 - 19 Years - Girls	61	*			
15 - 19 Years - Boys	36	*			
<b>Total</b>	<b>770</b>	<b>18.3</b>			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Tehama**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 052**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %		
White, Not Hispanic				Asian		
5 - 8 Years	91	*		5 - 8 Years	0	*
9 - 11 Years	40	*		9 - 11 Years	1	*
12 - 14 Years - Girls	35	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	16	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	23	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	22	*		15 - 19 Years - Boys	0	*
Total	227	15.4		Total	1	*
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	0	*		5 - 8 Years	0	*
9 - 11 Years	2	*		9 - 11 Years	0	*
12 - 14 Years - Girls	0	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*		12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*		15 - 19 Years - Boys	1	*
Total	4	*		Total	1	*
Hispanic				Filipino		
5 - 8 Years	150	12.7		5 - 8 Years	0	*
9 - 11 Years	58	*		9 - 11 Years	0	*
12 - 14 Years - Girls	21	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	25	*	12 - 14 Years - Boys	0	*	
15 - 19 Years - Girls	22	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	27	*	15 - 19 Years - Boys	0	*	
Total	303	11.2	Total	0	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	3	*	5 - 8 Years	137	4.4	
9 - 11 Years	1	*	9 - 11 Years	42	*	
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	10	*	
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	21	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	16	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	13	*	
Total	6	*	Total	239	5.0	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Tehama**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 052**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	381	12.3	
9 - 11 Years	144	5.6	
12 - 14 Years - Girls	67	*	
12 - 14 Years - Boys	63	*	
15 - 19 Years - Girls	61	*	
15 - 19 Years - Boys	65	*	
<b>Total</b>	<b>781</b>	<b>10.5</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Trinity**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 053**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	13	*	5 - 8 Years	0	*
9 - 11 Years	17	*	9 - 11 Years	0	*
12 - 14 Years - Girls	10	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	7	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	12	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	11	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>70</b>	*	<b>Total</b>	<b>0</b>	*
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>3</b>	*	<b>Total</b>	<b>0</b>	*
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	15	*	5 - 8 Years	0	*
9 - 11 Years	5	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>26</b>	*	<b>Total</b>	<b>0</b>	*
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	0	*	5 - 8 Years	9	*
9 - 11 Years	1	*	9 - 11 Years	4	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>2</b>	*	<b>Total</b>	<b>17</b>	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Trinity**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 053**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	37	*	
9 - 11 Years	27	*	
12 - 14 Years - Girls	11	*	
12 - 14 Years - Boys	12	*	
15 - 19 Years - Girls	15	*	
15 - 19 Years - Boys	16	*	
<b>Total</b>	<b>118</b>	<b>15.3</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Tulare**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 054**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %				Anemia Low Hb/Hct Number %	
White, Not Hispanic				Asian		
5 - 8 Years	422	16.6		5 - 8 Years	61	*
9 - 11 Years	153	17.0		9 - 11 Years	26	*
12 - 14 Years - Girls	79	*		12 - 14 Years - Girls	21	*
12 - 14 Years - Boys	99	*		12 - 14 Years - Boys	17	*
15 - 19 Years - Girls	74	*		15 - 19 Years - Girls	15	*
15 - 19 Years - Boys	64	*		15 - 19 Years - Boys	18	*
Total	891	16.6		Total	158	20.3
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	72	*	5 - 8 Years	2	*	
9 - 11 Years	26	*	9 - 11 Years	0	*	
12 - 14 Years - Girls	12	*	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	15	*	12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	14	*	15 - 19 Years - Girls	1	*	
15 - 19 Years - Boys	22	*	15 - 19 Years - Boys	0	*	
Total	161	34.2	Total	4	*	
Hispanic			Filipino			
5 - 8 Years	4,246	15.5	5 - 8 Years	11	*	
9 - 11 Years	1,994	13.3	9 - 11 Years	7	*	
12 - 14 Years - Girls	983	11.3	12 - 14 Years - Girls	0	*	
12 - 14 Years - Boys	966	14.5	12 - 14 Years - Boys	2	*	
15 - 19 Years - Girls	986	15.3	15 - 19 Years - Girls	4	*	
15 - 19 Years - Boys	854	12.1	15 - 19 Years - Boys	7	*	
Total	10,029	14.2	Total	31	*	
American Indian/Alaskan Native			All Other			
5 - 8 Years	28	*	5 - 8 Years	493	17.0	
9 - 11 Years	17	*	9 - 11 Years	195	17.4	
12 - 14 Years - Girls	7	*	12 - 14 Years - Girls	71	*	
12 - 14 Years - Boys	3	*	12 - 14 Years - Boys	88	*	
15 - 19 Years - Girls	7	*	15 - 19 Years - Girls	66	*	
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	65	*	
Total	64	*	Total	978	17.4	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Tulare**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 054**

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct				Anemia Low Hb/Hct
	Number	%			Number %
Total All Race/Ethnic Groups					
5 - 8 Years	5,335	16.1			
9 - 11 Years	2,418	14.3			
12 - 14 Years - Girls	1,173	11.8			
12 - 14 Years - Boys	1,191	15.2			
15 - 19 Years - Girls	1,167	15.7			
15 - 19 Years - Boys	1,032	13.7			
<b>Total</b>	<b>12,316</b>	<b>15.0</b>			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Tuolumne**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 055**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
<b>White, Not Hispanic</b>			<b>Asian</b>		
5 - 8 Years	7	*	5 - 8 Years	0	*
9 - 11 Years	5	*	9 - 11 Years	0	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	4	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	2	*	15 - 19 Years - Boys	1	*
<b>Total</b>	<b>20</b>	*	<b>Total</b>	<b>1</b>	*
<b>Black, Not Hispanic</b>			<b>Pacific Islander</b>		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>0</b>	*	<b>Total</b>	<b>0</b>	*
<b>Hispanic</b>			<b>Filipino</b>		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>1</b>	*	<b>Total</b>	<b>0</b>	*
<b>American Indian/Alaskan Native</b>			<b>All Other</b>		
5 - 8 Years	0	*	5 - 8 Years	0	*
9 - 11 Years	0	*	9 - 11 Years	0	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>0</b>	*	<b>Total</b>	<b>0</b>	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Tuolumne**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 055**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)		
	Anemia Low Hb/Hct Number %	Anemia Low Hb/Hct Number %
Total All Race/Ethnic Groups		
5 - 8 Years	7 *	
9 - 11 Years	5 *	
12 - 14 Years - Girls	1 *	
12 - 14 Years - Boys	1 *	
15 - 19 Years - Girls	5 *	
15 - 19 Years - Boys	3 *	
<b>Total</b>	<b>22 *</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Ventura**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 056**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	175	8.6	5 - 8 Years	7	*
9 - 11 Years	80	*	9 - 11 Years	9	*
12 - 14 Years - Girls	57	*	12 - 14 Years - Girls	5	*
12 - 14 Years - Boys	56	*	12 - 14 Years - Boys	3	*
15 - 19 Years - Girls	66	*	15 - 19 Years - Girls	3	*
15 - 19 Years - Boys	46	*	15 - 19 Years - Boys	5	*
<b>Total</b>	<b>480</b>	<b>9.2</b>	<b>Total</b>	<b>32</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	23	*	5 - 8 Years	7	*
9 - 11 Years	15	*	9 - 11 Years	2	*
12 - 14 Years - Girls	9	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	6	*	12 - 14 Years - Boys	2	*
15 - 19 Years - Girls	16	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	10	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>79</b>	<b>*</b>	<b>Total</b>	<b>12</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	2,613	7.2	5 - 8 Years	7	*
9 - 11 Years	1,174	8.0	9 - 11 Years	5	*
12 - 14 Years - Girls	568	5.8	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	550	10.0	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	616	10.4	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	417	15.1	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>5,938</b>	<b>8.4</b>	<b>Total</b>	<b>13</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	1	*	5 - 8 Years	171	7.6
9 - 11 Years	2	*	9 - 11 Years	71	*
12 - 14 Years - Girls	0	*	12 - 14 Years - Girls	44	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	31	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	34	*
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	21	*
<b>Total</b>	<b>8</b>	<b>*</b>	<b>Total</b>	<b>372</b>	<b>8.6</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Ventura**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 056**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	3,004	7.5	
9 - 11 Years	1,358	7.7	
12 - 14 Years - Girls	684	5.8	
12 - 14 Years - Boys	649	10.8	
15 - 19 Years - Girls	737	11.3	
15 - 19 Years - Boys	502	14.1	
<b>Total</b>	<b>6,934</b>	<b>8.6</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Yolo**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 057**

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %		
White, Not Hispanic				Asian		
5 - 8 Years	62	*		5 - 8 Years	5	*
9 - 11 Years	30	*		9 - 11 Years	5	*
12 - 14 Years - Girls	17	*		12 - 14 Years - Girls	2	*
12 - 14 Years - Boys	23	*		12 - 14 Years - Boys	3	*
15 - 19 Years - Girls	16	*		15 - 19 Years - Girls	6	*
15 - 19 Years - Boys	20	*		15 - 19 Years - Boys	6	*
<b>Total</b>	<b>168</b>	<b>17.9</b>		<b>Total</b>	<b>27</b>	<b>*</b>
Black, Not Hispanic				Pacific Islander		
5 - 8 Years	16	*		5 - 8 Years	1	*
9 - 11 Years	9	*		9 - 11 Years	0	*
12 - 14 Years - Girls	8	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	2	*		12 - 14 Years - Boys	1	*
15 - 19 Years - Girls	9	*		15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	4	*		15 - 19 Years - Boys	0	*
<b>Total</b>	<b>48</b>	<b>*</b>		<b>Total</b>	<b>2</b>	<b>*</b>
Hispanic				Filipino		
5 - 8 Years	250	14.4		5 - 8 Years	0	*
9 - 11 Years	102	11.8		9 - 11 Years	0	*
12 - 14 Years - Girls	49	*		12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	53	*	12 - 14 Years - Boys	1	*	
15 - 19 Years - Girls	55	*	15 - 19 Years - Girls	0	*	
15 - 19 Years - Boys	32	*	15 - 19 Years - Boys	1	*	
<b>Total</b>	<b>541</b>	<b>15.2</b>	<b>Total</b>	<b>2</b>	<b>*</b>	
American Indian/Alaskan Native			All Other			
5 - 8 Years	1	*	5 - 8 Years	99	*	
9 - 11 Years	1	*	9 - 11 Years	34	*	
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	19	*	
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	27	*	
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	24	*	
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	14	*	
<b>Total</b>	<b>3</b>	<b>*</b>	<b>Total</b>	<b>217</b>	<b>22.1</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Yolo**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 057**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	434	16.8	
9 - 11 Years	181	16.6	
12 - 14 Years - Girls	96	*	
12 - 14 Years - Boys	110	21.8	
15 - 19 Years - Girls	110	22.7	
15 - 19 Years - Boys	77	*	
<b>Total</b>	<b>1,008</b>	<b>17.5</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Yuba**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 1  
Run Date: 6 / 3 / 09

**State: California**

**County: 058**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct Number %			Anemia Low Hb/Hct Number %	
White, Not Hispanic			Asian		
5 - 8 Years	145	15.2	5 - 8 Years	13	*
9 - 11 Years	52	*	9 - 11 Years	10	*
12 - 14 Years - Girls	35	*	12 - 14 Years - Girls	3	*
12 - 14 Years - Boys	16	*	12 - 14 Years - Boys	4	*
15 - 19 Years - Girls	31	*	15 - 19 Years - Girls	2	*
15 - 19 Years - Boys	10	*	15 - 19 Years - Boys	3	*
<b>Total</b>	<b>289</b>	<b>15.2</b>	<b>Total</b>	<b>35</b>	<b>*</b>
Black, Not Hispanic			Pacific Islander		
5 - 8 Years	13	*	5 - 8 Years	1	*
9 - 11 Years	6	*	9 - 11 Years	0	*
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	1	*
12 - 14 Years - Boys	4	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	4	*	15 - 19 Years - Girls	0	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>30</b>	<b>*</b>	<b>Total</b>	<b>2</b>	<b>*</b>
Hispanic			Filipino		
5 - 8 Years	147	12.2	5 - 8 Years	1	*
9 - 11 Years	80	*	9 - 11 Years	2	*
12 - 14 Years - Girls	29	*	12 - 14 Years - Girls	0	*
12 - 14 Years - Boys	30	*	12 - 14 Years - Boys	0	*
15 - 19 Years - Girls	23	*	15 - 19 Years - Girls	1	*
15 - 19 Years - Boys	25	*	15 - 19 Years - Boys	0	*
<b>Total</b>	<b>334</b>	<b>12.0</b>	<b>Total</b>	<b>4</b>	<b>*</b>
American Indian/Alaskan Native			All Other		
5 - 8 Years	3	*	5 - 8 Years	35	*
9 - 11 Years	0	*	9 - 11 Years	16	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	4	*
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	3	*
15 - 19 Years - Girls	0	*	15 - 19 Years - Girls	9	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	6	*
<b>Total</b>	<b>6</b>	<b>*</b>	<b>Total</b>	<b>73</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 17B**  
**2008 Pediatric Nutrition Surveillance** (1)  
**Yuba**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged 5 to <20 Years** (2)

Page: 2  
Run Date: 6 / 3 / 09

**State: California**

**County: 058**

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)			
	Anemia Low Hb/Hct		
	Number	%	
Total All Race/Ethnic Groups			
5 - 8 Years	358	14.8	
9 - 11 Years	166	10.2	
12 - 14 Years - Girls	75	*	
12 - 14 Years - Boys	58	*	
15 - 19 Years - Girls	70	*	
15 - 19 Years - Boys	46	*	
<b>Total</b>	<b>773</b>	<b>14.2</b>	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.